ARIZONA

2009 Module Variables Report

Behavioral Risk Factor Surveillance System

March 18, 2010

CDC
CENTERS FOR DISEASE
CONTROL AND PREVENTION

BRFSS
Behavioral Risk Factor Surveillance System

MODULE 1: PRE-DIABETES CONTENTS

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES
TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4661	4,343,322	2884	56.9	53.8-60.0	1777	43.1	40.0-46.2
Male	1733	2,146,472	1101	55.4	50.7-60.1	632	44.6	39.9-49.3
Female	2928	2,196,849	1783	58.4	54.5-62.3	1145	41.6	37.7-45.5
White/Non-Hisp	3546	3,047,598	2211	58.2	54.9-61.5	1335	41.8	38.5-45.1
Hispanic	702	913,306	440	55.0	46.4-63.6	262	45.0	36.4-53.6
25-34	418	944,252	225	53.1	45.5-60.7	193	46.9	39.3-54.5
35-44	620	842,303	343	52.8	46.7-58.9	277	47.2	41.1-53.3
45-54	808	738,834	480	65.3	60.4-70.2	328	34.7	29.8-39.6
55-64	954	551,676	629	72.4	68.3-76.5	325	27.6	23.5-31.7
65+	1684	697,961	1149	70.0	66.7-73.3	535	30.0	26.7-33.3
H.S. or G.E.D.	1175	1,104,436	688	48.4	41.9-54.9	487	51.6	45.1-58.1
Some Post-H.S.	1428	1,242,072	894	56.0	50.3-61.7	534	44.0	38.3-49.7
College Graduate	1604	1,580,580	1043	63.6	59.7-67.5	561	36.4	32.5-40.3
$15,000- 24,999	741	558,001	429	48.2	40.8-55.6	312	51.8	44.4-59.2
$25,000- 34,999	483	312,973	303	58.7	50.9-66.5	180	41.3	33.5-49.1
$35,000- 49,999	646	592,915	408	53.9	44.9-62.9	238	46.1	37.1-55.1
$50,000- 74,999	674	626,493	433	57.4	50.3-64.5	241	42.6	35.5-49.7
$75,000+	1016	1,368,449	673	65.1	59.8-70.4	343	34.9	29.6-40.2

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES
TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1733	2,146,472	1101	55.4	50.7-60.1	632	44.6	39.9-49.3
White/Non-Hisp	1348	1,517,201	873	56.6	51.3-61.9	475	43.4	38.1-48.7
35-44	213	428,715	115	50.1	40.5-59.7	98	49.9	40.3-59.5
45-54	301	368,520	196	70.4	63.1-77.7	105	29.6	22.3-36.9
55-64	370	257,993	258	78.9	73.4-84.4	112	21.1	15.6-26.6
65+	624	300,954	445	72.2	66.9-77.5	179	27.8	22.5-33.1
H.S. or G.E.D.	412	592,729	228	41.3	31.9-50.7	184	58.7	49.3-68.1
Some Post-H.S.	479	551,398	306	53.3	44.1-62.5	173	46.7	37.5-55.9
College Graduate	661	793,897	462	67.3	61.0-73.6	199	32.7	26.4-39.0
$75,000+	480	758,119	336	66.7	59.1-74.3	144	33.3	25.7-40.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2928	2,196,849	1783	58.4	54.5-62.3	1145	41.6	37.7-45.5
White/Non-Hisp	2198	1,530,397	1338	59.8	55.7-63.9	860	40.2	36.1-44.3
25-34	283	479,033	162	56.4	48.2-64.6	121	43.6	35.4-51.8
35-44	407	413,588	228	55.7	48.6-62.8	179	44.3	37.2-51.4
45-54	507	370,314	284	60.2	53.7-66.7	223	39.8	33.3-46.3
55-64	584	293,682	371	66.7	61.0-72.4	213	33.3	27.6-39.0
65+	1060	397,007	704	68.4	64.3-72.5	356	31.6	27.5-35.7
H.S. or G.E.D.	763	511,707	460	56.7	48.1-65.3	303	43.3	34.7-51.9
Some Post-H.S.	949	690,674	588	58.1	50.8-65.4	361	41.9	34.6-49.2
College Graduate	943	786,684	581	59.7	54.8-64.6	362	40.3	35.4-45.2
$15,000- 24,999	499	288,293	295	57.0	48.8-65.2	204	43.0	34.8-51.2
$25,000- 34,999	320	177,453	192	58.5	48.9-68.1	128	41.5	31.9-51.1
$50,000- 74,999	403	311,107	253	55.6	47.8-63.4	150	44.4	36.6-52.2
$75,000+	536	610,331	337	63.1	55.8-70.4	199	36.9	29.6-44.2

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES
TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	Yes, during pregnancy N	Yes, during pregnancy %	Yes, during pregnancy C.I. (95%)	No N	No %	No C.I. (95%)
TOTAL	4775	4,443,733	370	6.0	04.6-07.4	85	1.9	01.1-02.7	4320	92.0	90.4-93.6
Male	1782	2,194,677	151	5.7	04.1-07.3	11	0.6	00.0-01.2	1620	93.7	92.1-95.3
Female	2993	2,249,056	219	6.4	04.2-08.6	74	3.2	01.8-04.6	2700	90.4	87.9-92.9
White/Non-Hisp	3645	3,136,170	288	6.7	04.9-08.5	52	1.5	00.9-02.1	3305	91.8	89.8-93.8
Black or Afr. Am./Non-Hisp	52	105,962	10	6.1	00.0-12.4				42	93.9	87.6-0100
Oth. Race/Non-Hisp.	250	209,799	18	5.8	01.7-09.9	8	1.8	00.0-03.6	224	92.3	87.8-96.8
MultiRacial/Non-Hisp.	53	24,883	4	4.9	00.0-11.0	3	2.9	00.0-06.4	46	92.2	84.9-99.5
Hispanic	708	913,224	48	4.0	01.8-06.2	20	3.8	00.9-06.7	640	92.2	88.7-95.7
18-24	139	536,912	5	5.4	00.0-13.4	4	3.4	00.0-07.7	130	91.1	82.1-0100
25-34	425	971,793	15	2.4	00.6-04.2	11	1.7	00.0-03.5	399	95.9	93.4-98.4
35-44	632	856,632	32	4.7	02.3-07.1	23	2.6	01.2-04.0	577	92.7	90.0-95.4
45-54	824	759,863	63	6.1	03.7-08.5	23	2.4	00.8-04.0	738	91.5	88.8-94.2
55-64	980	564,989	95	11.2	07.3-15.1	10	1.6	00.4-02.8	875	87.2	83.3-91.1
65+	1734	721,495	158	9.1	06.9-11.3	13	0.3	00.1-00.5	1563	90.6	88.4-92.8
Less Than H.S.	438	403,880	34	4.2	01.5-06.9	13	4.7	00.6-08.8	391	91.1	86.0-96.2
H.S. or G.E.D.	1205	1,137,240	96	7.6	03.3-11.9	17	2.3	00.1-04.5	1092	90.1	85.4-94.8
Some Post-H.S.	1476	1,284,515	112	5.9	03.9-07.9	22	1.0	00.4-01.6	1342	93.1	91.1-95.1
College Graduate	1639	1,605,692	128	5.5	04.1-06.9	33	1.8	01.0-02.6	1478	92.7	90.9-94.5
Less than $15,000	480	393,730				9	0.8	00.0-01.6			
$15,000- 24,999	760	569,411	69	7.9	03.8-12.0	15	3.9	00.6-07.2	676	88.2	83.1-93.3
$25,000- 34,999	496	315,914	42	5.7	02.2-09.2	10	2.7	00.0-06.0	444	91.6	86.9-96.3
$35,000- 49,999	657	600,632	49	4.9	02.5-07.3	6	1.1	00.0-02.3	602	94.1	91.4-96.8
$50,000- 74,999	688	646,910	55	4.8	02.8-06.8	11	1.5	00.3-02.7	622	93.7	91.5-95.9
$75,000+	1036	1,398,399	78	6.1	04.3-07.9	25	1.7	00.7-02.7	933	92.1	89.9-94.3

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                 Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES
TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	N	Yes, during pregnancy %	C.I. (95%)	N	No %	C.I. (95%)
Male	1782	2,194,677	151	5.7	04.1-07.3	11	0.6	00.0-01.2	1620	93.7	92.1-95.3
White/Non-Hisp	1391	1,559,536	124	6.3	04.3-08.3	11	0.9	00.1-01.7	1256	92.8	90.6-95.0
Oth. Race/Non-Hisp.	87	106,278	4	4.9	00.0-11.4				83	95.1	88.6-0100
Hispanic	239	442,187	13	3.4	00.3-06.5				226	96.6	93.5-99.7
18-24	76	306,590	1	1.1	00.0-03.3	1	1.7	00.0-05.0	74	97.2	93.3-0100
25-34	135	473,676	6	2.3	00.0-04.8				129	97.7	95.2-0100
35-44	219	437,860	10	3.2	00.3-06.1				209	96.8	93.9-99.7
45-54	305	377,247	21	6.0	02.3-09.7	3	1.6	00.0-03.6	281	92.4	88.3-96.5
55-64	385	266,598	37	12.6	05.5-19.7	2	0.7	00.0-01.9	346	86.7	79.6-93.8
65+	645	313,070	75	12.7	08.6-16.8	5	0.3	00.0-00.7	565	87.0	82.9-91.1
Less Than H.S.	176	202,978	13	3.2	00.0-06.5	1	0.1	00.0-00.3	162	96.8	93.5-0100
H.S. or G.E.D.	427	618,681	38	6.0	02.3-09.7	3	0.9	00.0-02.5	386	93.1	89.2-97.0
Some Post-H.S.	498	564,077	46	7.1	03.8-10.4	1	0.3	00.0-00.9	451	92.7	89.4-96.0
College Graduate	675	803,816	54	5.1	03.1-07.1	6	0.8	00.0-01.8	615	94.0	91.8-96.2
Less than $15,000	157	173,328	18	5.6	01.1-10.1	1	0.1	00.0-00.3	138	94.3	89.8-98.8
$15,000- 24,999	249	274,039	21	8.6	01.2-16.0	2	0.2	00.0-00.4	226	91.2	83.8-98.6
$25,000- 34,999	171	137,163	13	1.6	00.4-02.8	3	4.7	00.0-12.0	155	93.6	86.3-0100
$35,000- 49,999	247	307,635	23	6.1	01.8-10.4	1	0.0	00.0-00.0	223	93.8	89.5-98.1
$50,000- 74,999	277	321,601	25	4.7	02.0-07.4	2	0.6	00.0-01.6	250	94.6	91.7-97.5
$75,000+	489	777,330	38	6.1	03.6-08.6	2	0.6	00.0-01.4	449	93.3	90.8-95.8

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 1: PRE-DIABETES
TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	Yes, during pregnancy N	Yes, during pregnancy %	Yes, during pregnancy C.I. (95%)	No N	No %	No C.I. (95%)
Female	2993	2,249,056	219	6.4	04.2-08.6	74	3.2	01.8-04.6	2700	90.4	87.9-92.9
White/Non-Hisp	2254	1,576,634	164	7.2	04.3-10.1	41	2.1	01.1-03.1	2049	90.8	87.7-93.9
Oth. Race/Non-Hisp.	163	103,521	14	6.9	01.6-12.2	8	3.7	00.2-07.2	141	89.4	83.1-95.7
Hispanic	469	471,037	35	4.7	02.0-07.4	20	7.4	01.9-12.9	414	88.0	81.7-94.3
18-24	63	230,321				3	5.8	00.0-14.8			
25-34	290	498,117	9	2.4	00.0-04.9	11	3.3	00.0-06.6	270	94.3	90.2-98.4
35-44	413	418,772	22	6.2	02.7-09.7	23	5.3	02.4-08.2	368	88.5	84.0-93.0
45-54	519	382,616	42	6.2	03.3-09.1	20	3.2	00.8-05.6	457	90.6	86.9-94.3
55-64	595	298,390	58	10.1	06.4-13.8	8	2.4	00.2-04.6	529	87.5	83.2-91.8
65+	1089	408,425	83	6.3	04.3-08.3	8	0.3	00.1-00.5	998	93.4	91.4-95.4
Less Than H.S.	262	200,902	21	5.2	00.7-09.7	12	9.4	00.6-18.2			
H.S. or G.E.D.	778	518,558	58	9.6	01.6-17.6	14	3.9	00.0-08.2	706	86.5	77.7-95.3
Some Post-H.S.	978	720,437	66	5.0	02.8-07.2	21	1.6	00.6-02.6	891	93.4	91.0-95.8
College Graduate	964	801,876	74	5.9	03.7-08.1	27	2.7	01.3-04.1	863	91.4	88.9-93.9
Less than $15,000	323	220,402				8	1.3	00.0-02.7			
$15,000- 24,999	511	295,371	48	7.2	03.3-11.1	13	7.3	01.2-13.4	450	85.5	78.6-92.4
$25,000- 34,999	325	178,752	29	8.8	02.9-14.7	7	1.1	00.0-02.3	289	90.1	84.0-96.2
$35,000- 49,999	410	292,997	26	3.6	01.6-05.6	5	2.1	00.0-04.6	379	94.3	91.0-97.6
$50,000- 74,999	411	325,309	30	4.9	02.4-07.4	9	2.3	00.1-04.5	372	92.8	89.7-95.9
$75,000+	547	621,070	40	6.2	03.5-08.9	23	3.2	01.4-05.0	484	90.6	87.3-93.9

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009

MODULE 2: DIABETES CONTENTS

* NOTE ***

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

****

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009

MODULE 2: DIABETES CONTENTS

* NOTE *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* *

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	679	401,881	14	7.1	01.8-12.4	45	10.2	04.9-15.5	146	25.2	18.7-31.7	270	34.7	28.4-41.0	204	22.8	17.9-27.7
Male	287	198,773	5	8.5	00.0-17.9	12	6.0	00.0-13.4				133	37.0	27.4-46.6	78	20.9	13.6-28.2
Female	392	203,108	9	5.7	00.6-10.8	33	14.3	07.0-21.6	87	22.7	15.4-30.0	137	32.5	24.5-40.5	126	24.8	18.3-31.3
White/Non-Hisp	450	274,094	12	10.3	02.7-17.9	14	3.4	01.2-05.6	80	22.8	14.8-30.8	189	37.6	30.0-45.2	155	25.9	19.6-32.2
Oth. Race/Non-Hisp.	73	38,912	1	0.1	00.0-00.3												
Hispanic	131	67,934	1	0.4	00.0-01.2												
55-64	182	96,980	1	0.2	00.0-00.6	5	3.4	00.1-06.7							13	8.3	01.2-15.4
65+	357	146,908	1	0.0	00.0-00.0	7	1.8	00.2-03.4	32	6.3	02.2-10.4	126	35.0	27.0-43.0	191	57.0	48.6-65.4
Less Than H.S.	111	46,073	1	4.2	00.0-12.2	12	15.3	06.1-24.5	24	17.4	07.6-27.2						
H.S. or G.E.D.	203	122,657										63	21.7	13.1-30.3	77	25.9	16.3-35.5
Some Post-H.S.	204	113,954				14	6.4	00.3-12.5							42	16.7	08.9-24.5
College Graduate	159	118,303	2	2.8	00.0-07.7										45	24.5	14.7-34.3
Less than $15,000	122	53,220				8	4.9	01.0-08.8							40	19.1	09.1-29.1
$15,000- 24,999	131	81,897													47	22.0	12.0-32.0
$25,000- 34,999	79	38,350				5	5.0	00.0-10.3									
$50,000- 74,999	65	34,645				2	7.4	00.0-18.6									
$75,000+	86	73,984	2	2.6	00.0-07.5	4	0.7	00.0-01.7									

```
                                              NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                        Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	287	198,773	5	8.5	00.0-17.9	12	6.0	00.0-13.6				133	37.0	27.2-46.8	78	20.9	13.8-28.0
White/Non-Hisp	207	146,996				3	0.7	00.0-01.5							62	25.8	16.4-35.2
55-64	77	44,043				1	0.8	00.0-02.4							6	4.1	00.4-07.8
65+	159	76,575				1	0.5	00.0-01.5	14	7.5	00.2-14.8						
H.S. or G.E.D.	76	58,833				1	0.3	00.0-00.9									
Some Post-H.S.	88	50,934				4	2.3	00.0-05.0							15	11.3	02.7-19.9
College Graduate	90	77,043	1	0.4	00.0-01.2												
$15,000- 24,999	53	35,555				3	4.2	00.0-09.3									
$75,000+	56	55,347	1	3.3	00.0-09.8	2	0.7	00.0-01.9									

```
                                            NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	392	203,108	9	5.7	00.6-10.8	33	14.3	06.9-21.7	87	22.7	15.4-30.0	137	32.5	24.3-40.7	126	24.8	18.3-31.3
White/Non-Hisp	243	127,099	7	8.9	00.9-16.9	11	6.5	02.0-11.0	44	20.5	11.3-29.7				93	26.1	18.7-33.5
Hispanic	90	48,406	1	0.6	00.0-01.8												
55-64	105	52,937	1	0.3	00.0-00.9	4	5.6	00.0-11.5									
65+	198	70,334	1	0.1	00.0-00.3	6	3.1	00.0-06.2	18	4.9	01.8-08.0						
Less Than H.S.	79	34,225	1	5.6	00.0-16.2												
Some Post-H.S.	116	63,020	4	2.4	00.0-05.7	10	9.6	00.0-20.0									
College Graduate	69	41,260				4	8.2	00.0-18.2									
Less than $15,000	92	33,787				6	6.4	00.7-12.1									
$15,000- 24,999	78	46,342	2	2.9	00.0-07.6				18	10.0	02.0-18.0						

```
                                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	690	409,390	186	29.6	22.7-36.5	504	70.4	63.5-77.3
Female	401	205,849	112	29.2	21.0-37.4	289	70.8	62.6-79.0
White/Non-Hisp	458	279,813	123	30.7	22.3-39.1	335	69.3	60.9-77.7
55-64	181	96,077	56	30.1	20.3-39.9	125	69.9	60.1-79.7
65+	364	149,184	88	19.1	13.0-25.2	276	80.9	74.8-87.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy


```
                        All of the Confidence Intervals for this table are too wide
                                        (half-width greater than 10)
                                          to print this table.
```

```
                                                  NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                                  Rows with less than 50 observations have been suppressed.
                   Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	401	205,849	112	29.2	21.0-37.4	289	70.8	62.6-79.0
White/Non-Hisp	250	129,230	72	31.6	21.8-41.4	178	68.4	58.6-78.2
65+	204	72,437	52	22.2	13.8-30.6	152	77.8	69.4-86.2
Less Than H.S.	80	34,392	22	16.0	06.2-25.8	58	84.0	74.2-93.8

```
                                            NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                       Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Never N	%	C.I. (95%)	< 1 time per Day N	%	C.I. (95%)	1-5 times per Day N	%	C.I. (95%)	> 5 times per Day N	%	C.I. (95%)
TOTAL	679	402,473	61	8.9	05.6-12.2	177	29.9	23.2-36.6	429	57.6	50.5-64.7	12	3.6	00.1-07.1
Male	286	200,539	24	9.3	04.2-14.4							6	4.7	00.0-11.4
Female	393	201,934	37	8.5	04.4-12.6	91	25.3	18.2-32.4	259	63.6	55.6-71.6	6	2.5	00.0-05.0
White/Non-Hisp	453	275,981	34	9.7	05.4-14.0	116	30.7	22.3-39.1	297	55.4	46.8-64.0	6	4.2	00.0-09.3
Oth. Race/Non-Hisp.	72	37,808	11	7.6	01.5-13.7							1	1.2	00.0-03.6
Hispanic	129	67,743	14	6.5	01.2-11.8							3	1.7	00.0-03.7
45-54	87	90,134	11	7.6	00.3-14.9							1	0.5	00.0-01.5
55-64	179	95,624	18	14.0	06.2-21.8	48	27.5	17.5-37.5				3	4.4	00.0-10.1
65+	357	143,889	26	9.1	03.6-14.6	89	32.8	24.4-41.2	240	57.9	49.5-66.3	2	0.2	00.0-00.6
Less Than H.S.	110	45,713										2	3.2	00.0-08.1
H.S. or G.E.D.	206	124,741	14	5.0	00.3-09.7							2	0.8	00.0-02.0
Some Post-H.S.	205	118,505	23	13.2	05.6-20.8							3	7.4	00.0-18.2
College Graduate	156	112,620	7	4.6	00.1-09.1							5	2.9	00.0-07.0
Less than $15,000	123	53,388	12	7.0	01.3-12.7									
$15,000- 24,999	131	82,464	16	10.8	03.9-17.7							2	1.6	00.0-04.1
$35,000- 49,999	92	65,805	7	5.0	00.0-10.3							3	4.4	00.0-11.5
$50,000- 74,999	66	38,964										1	0.5	00.0-01.5
$75,000+	85	72,981	6	6.2	00.0-12.7							2	2.7	00.0-07.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Never N	Never %	Never C.I. (95%)	> 5 times per Day N	> 5 times per Day %	> 5 times per Day C.I. (95%)
Male	286	200,539	24	9.3	04.2-14.4	6	4.7	00.0-11.4
White/Non-Hisp	207	147,974	15	10.3	03.6-17.0	4	5.9	00.0-14.7
55-64	76	43,219				2	4.4	00.0-11.8
65+	157	73,665	11	11.9	02.3-21.5	2	0.5	00.0-01.1
H.S. or G.E.D.	76	59,722	4	5.0	00.0-13.8			
College Graduate	89	74,356	5	6.6	00.0-13.5	4	1.2	00.0-02.6
$15,000- 24,999	52	34,731	5	8.2	00.0-17.0			
$75,000+	56	55,347	5	7.9	00.0-16.5	2	3.6	00.0-09.5

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Never N	%	C.I. (95%)	< 1 time per Day N	%	C.I. (95%)	1-5 times per Day N	%	C.I. (95%)	> 5 times per Day N	%	C.I. (95%)
Female	393	201,934	37	8.5	04.4-12.6	91	25.3	18.0-32.6	259	63.6	55.6-71.6	6	2.5	00.0-05.0
White/Non-Hisp	246	128,007	19	9.0	03.1-14.9	53	20.5	13.1-27.9	172	68.4	59.0-77.8	2	2.1	00.0-05.6
Hispanic	89	48,316	9	7.7	00.4-15.0							2	1.7	00.0-04.2
45-54	52	48,948										1	0.8	00.0-02.6
55-64	103	52,405	8	9.7	01.3-18.1							1	4.5	00.0-12.9
65+	200	70,223	15	6.1	01.6-10.6									
Less Than H.S.	77	33,692										2	4.4	00.0-10.9
H.S. or G.E.D.	130	65,018	10	5.0	00.7-09.3							2	1.5	00.0-03.7
Some Post-H.S.	118	64,178										1	0.4	00.0-01.2
College Graduate	67	38,264	2	0.9	00.0-02.1							1	6.1	00.0-17.7
Less than $15,000	93	33,954	8	6.2	01.1-11.3							1	1.3	00.0-03.8
$15,000- 24,999	79	47,733	11	12.7	02.7-22.7	16	11.0	03.0-19.0				2	2.8	00.0-07.3

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Times per Day N	%	C.I. (95%)	Times per Week N	%	C.I. (95%)	Times per Month N	%	C.I. (95%)	Times per Year N	%	C.I. (95%)	Never N	%	C.I. (95%)	No Feet N	%	C.I. (95%)
TOTAL	675	398,976	446	62.9	55.8-70.0	109	15.6	10.7-20.5	32	6.6	02.3-10.9	9	1.1	00.3-01.9	76	13.6	08.5-18.7	3	0.2	00.0-00.4
Male	283	197,656				51	12.5	06.8-18.2	16	9.4	01.6-17.2	6	1.5	00.1-02.9	35	15.8	07.0-24.6	2	0.3	00.0-00.7
Female	392	201,320	273	65.2	56.8-73.6	58	18.7	11.1-26.3	16	3.8	00.7-06.9	3	0.8	00.0-01.8	41	11.5	06.6-16.4	1	0.1	00.0-00.3
White/Non-Hisp	447	270,168	296	63.2	55.0-71.4	71	15.6	09.7-21.5	26	8.8	02.7-14.9	6	1.0	00.0-02.0	46	11.3	06.8-15.8	2	0.1	00.0-00.3
Oth. Race/Non-Hisp.	73	40,045							1	1.6	00.0-04.9									
Hispanic	130	67,822							4	2.7	00.0-06.8	2	2.0	00.0-05.1	22	15.7	05.7-25.7	1	0.5	00.0-01.5
45-54	86	88,621							3	3.1	00.0-07.0	3	2.3	00.0-05.2	10	6.2	00.9-11.5			
55-64	179	95,873	122	73.4	64.2-82.6	31	9.0	04.5-13.5	9	6.3	00.4-12.2	3	1.2	00.0-02.6	14	10.1	03.6-16.6			
65+	354	141,654	232	59.0	50.6-67.4	56	17.6	11.5-23.7	17	5.0	00.9-09.1	2	0.8	00.0-02.0	44	17.1	09.8-24.4	3	0.5	00.0-01.1
Less Than H.S.	110	45,583				11	8.0	01.5-14.5	5	7.0	00.0-14.8	1	0.8	00.0-02.4	18	13.8	04.6-23.0	1	0.6	00.0-01.8
H.S. or G.E.D.	205	124,969				35	16.1	07.5-24.7				3	1.8	00.0-04.0	20	9.8	03.3-16.3			
Some Post-H.S.	204	116,788							7	3.4	00.0-07.5	4	1.2	00.0-02.6	20	9.3	04.0-14.6	2	0.4	00.0-01.0
College Graduate	154	110,741				31	13.3	05.1-21.5	10	6.3	00.8-11.8	1	0.4	00.0-01.2						
Less than $15,000	120	52,940							3	0.5	00.0-01.1	1	1.3	00.0-03.8	18	13.1	04.3-21.9	1	0.5	00.0-01.5
$15,000- 24,999	130	82,320				18	10.8	04.1-17.5				2	1.0	00.0-02.4	11	5.6	00.9-10.3			
$25,000- 34,999	79	37,871							5	2.6	00.0-05.9	2	4.8	00.0-11.3	5	9.4	00.0-19.6			
$35,000- 49,999	91	64,464							4	0.8	00.0-01.8	2	0.7	00.0-01.9				1	0.2	00.0-00.6
$50,000- 74,999	65	38,184							4	3.1	00.0-07.4	1	1.2	00.0-03.6	7	9.3	01.3-17.3			
$75,000+	85	71,945										1	0.4	00.0-01.2						

```
                                    NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	TOTAL	WEIGHTED	Times per Week N	%	C.I. (95%)	Times per Month N	%	C.I. (95%)	Times per Year N	%	C.I. (95%)	Never N	%	C.I. (95%)	No Feet N	%	C.I. (95%)
Male	283	197,656	51	12.5	07.0-18.0	16	9.4	01.6-17.2	6	1.5	00.1-02.9	35	15.8	06.8-24.8	2	0.3	00.0-00.7
White/Non-Hisp	204	145,252	33	10.6	05.3-15.9				5	1.8	00.0-03.6	24	13.1	05.8-20.4	1	0.2	00.0-00.6
55-64	76	43,887	15	11.4	04.1-18.7	3	5.6	00.0-12.7	3	2.7	00.0-05.8	6	10.5	00.9-20.1			
65+	155	70,620	29	18.5	09.5-27.5	9	8.6	00.8-16.4	2	1.6	00.0-04.0				2	0.9	00.0-02.1
H.S. or G.E.D.	75	59,955	16	12.6	02.8-22.4				2	2.1	00.0-05.2						
Some Post-H.S.	88	53,911	13	12.3	03.1-21.5	3	1.3	00.0-03.5	3	2.4	00.0-05.5	8	8.9	01.1-16.7	1	0.7	00.0-02.1
College Graduate	88	72,317				6	7.6	00.0-15.4	1	0.6	00.0-01.8						
$15,000- 24,999	51	35,496	8	9.9	01.7-18.1				1	1.3	00.0-03.8	3	3.1	00.0-07.2			
$75,000+	55	53,308							1	0.5	00.0-01.5						

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS?   INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Times per Day N	%	C.I. (95%)	Times per Week N	%	C.I. (95%)	Times per Month N	%	C.I. (95%)	Times per Year N	%	C.I. (95%)	Never N	%	C.I. (95%)	No Feet N	%	C.I. (95%)
Female	392	201,320	273	65.2	56.6-73.8	58	18.7	11.1-26.3	16	3.8	00.7-06.9	3	0.8	00.0-01.8	41	11.5	06.6-16.4	1	0.1	00.0-00.3
White/Non-Hisp	243	124,916							13	5.7	00.6-10.8	1	0.1	00.0-00.3	22	9.2	04.1-14.3	1	0.1	00.0-00.3
Hispanic	90	48,801							2	0.6	00.0-01.4	2	2.8	00.0-07.1						
45-54	52	47,942							1	2.1	00.0-06.2	2	2.9	00.0-07.4	4	4.4	00.0-09.5			
55-64	103	51,986				16	6.9	01.6-12.2	6	6.8	00.0-15.8				8	9.8	01.0-18.6			
65+	199	71,034				27	16.6	08.6-24.6	8	1.4	00.2-02.6				24	14.9	06.5-23.3	1	0.2	00.0-00.6
Less Than H.S.	79	34,225				7	7.1	00.0-14.5	2	0.6	00.0-01.6	1	1.1	00.0-03.3						
H.S. or G.E.D.	130	65,015							6	4.1	00.0-10.2	1	1.5	00.0-04.4	10	7.8	00.2-15.4			
Some Post-H.S.	116	62,877							4	5.1	00.0-12.5	1	0.2	00.0-00.6	12	9.7	02.8-16.6	1	0.2	00.0-00.6
College Graduate	66	38,423							4	3.9	00.0-09.2									
Less than $15,000	91	33,662							3	0.8	00.0-01.8									
$15,000- 24,999	79	46,824				10	11.4	01.4-21.4	2	4.3	00.0-12.5	1	0.8	00.0-02.4	8	7.5	00.1-14.9			

```
                                            NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
TOTAL	679	404,110	96	12.2	08.3-16.1	115	16.6	11.1-22.1	86	14.7	09.4-20.0	160	23.4	17.9-28.9	123	19.4	13.3-25.5	99	13.8	08.9-18.7
Male	287	202,687	46	14.2	07.5-20.9	56	18.0	09.0-27.0	30	11.9	03.9-19.9	67	20.6	13.3-27.9	50	20.4	10.8-30.0	38	14.8	06.2-23.4
Female	392	201,423	50	10.1	06.0-14.2	59	15.2	09.1-21.3	56	17.5	10.6-24.4	93	26.1	18.1-34.1	73	18.3	10.9-25.7	61	12.7	08.0-17.4
White/Non-Hisp	453	276,773	72	14.7	09.4-20.0	80	19.4	12.1-26.7	60	14.1	08.6-19.6	99	24.9	17.8-32.0	72	13.3	07.2-19.4	70	13.7	07.4-20.0
Oth. Race/Non-Hisp.	73	39,437	2	0.7	00.0-01.9													9	9.4	01.2-17.6
Hispanic	128	66,959	20	11.9	03.1-20.7	18	11.9	02.5-21.3	14	6.6	01.3-11.9							16	11.7	03.1-20.3
45-54	88	91,060																13	7.5	00.8-14.2
55-64	179	94,660	26	16.0	07.8-24.2	24	10.5	04.2-16.8	19	11.5	04.6-18.4				32	16.0	08.0-24.0	23	10.8	04.9-16.7
65+	357	146,219	55	15.0	09.1-20.9	67	18.4	11.9-24.9	41	14.0	07.9-20.1	82	23.8	16.4-31.2	60	13.1	07.8-18.4	52	15.7	09.0-22.4
Less Than H.S.	107	43,316	12	4.4	01.1-07.7	18	13.7	03.7-23.7							21	16.6	07.2-26.0			
H.S. or G.E.D.	203	123,388	33	13.3	06.6-20.0				28	13.8	06.4-21.2	49	20.2	10.6-29.8						
Some Post-H.S.	209	119,535	32	13.7	05.3-22.1	42	15.9	08.1-23.7	22	11.6	04.5-18.7							27	7.8	04.1-11.5
College Graduate	158	116,977	18	12.4	04.8-20.0	29	15.3	07.3-23.3										20	12.9	04.9-20.9
Less than $15,000	120	52,770	12	10.4	01.2-19.6	15	9.7	01.3-18.1	10	3.8	00.3-07.3							20	14.0	05.2-22.8
$15,000- 24,999	132	81,815	20	9.7	03.4-16.0	15	5.9	00.2-11.6				21	8.1	02.8-13.4						
$25,000- 34,999	77	36,177	13	12.5	02.5-22.5										14	10.7	02.9-18.5	5	4.1	00.0-08.4
$35,000- 49,999	92	65,805	13	6.2	00.7-11.7													14	7.5	01.4-13.6
$50,000- 74,999	66	38,964													8	8.3	00.0-16.7			
$75,000+	86	73,984				14	9.6	02.7-16.5	12	12.5	02.5-22.5									

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Male	287	202,687	46	14.2	07.5-20.9	56	18.0	09.0-27.0	30	11.9	03.7-20.1	67	20.6	13.2-28.0	50	20.4	10.8-30.0	38	14.8	06.2-23.4
White/Non-Hisp	208	150,686	37	17.6	09.0-26.2				24	9.9	04.0-15.8	48	21.7	12.7-30.7						
55-64	77	44,043				12	9.5	02.2-16.8							13	13.2	03.8-22.6	9	11.5	02.1-20.9
65+	158	75,644	28	14.4	05.6-23.2	37	21.9	12.3-31.5	16	12.5	03.5-21.5				25	13.1	04.9-21.3			
H.S. or G.E.D.	76	59,214	11	8.9	01.6-16.2				7	8.1	00.0-17.7				13	9.3	00.7-17.9			
Some Post-H.S.	89	55,252				21	13.8	04.4-23.2	6	5.4	00.0-11.7							10	7.6	01.7-13.5
College Graduate	90	77,043				18	13.6	04.4-22.8										8	9.8	00.0-19.8
$15,000- 24,999	53	35,555	10	8.8	01.0-16.6				4	3.7	00.0-08.0									
$75,000+	56	55,347				10	11.1	02.3-19.9												

```
                                    NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Female	392	201,423	50	10.1	05.8-14.4	59	15.2	09.1-21.3	56	17.5	10.6-24.4	93	26.1	17.9-34.3	73	18.3	10.7-25.9	61	12.7	08.2-17.2
White/Non-Hisp	245	126,087	35	11.2	05.9-16.5	36	17.5	09.1-25.9	36	19.0	09.6-28.4				45	11.1	06.4-15.8	42	12.3	07.4-17.2
Hispanic	88	47,734				10	8.4	00.0-17.2	10	7.2	00.1-14.3									
45-54	53	49,874	6	5.8	00.0-13.8													8	6.1	01.2-11.0
55-64	102	50,617	14	12.0	03.4-20.6	12	11.4	01.8-21.0	12	12.0	03.0-21.0							14	10.2	02.8-17.6
65+	199	70,575	27	15.6	07.6-23.6	30	14.7	06.3-23.1	25	15.5	07.5-23.5				35	13.1	06.2-20.0	32	15.9	07.7-24.1
Less Than H.S.	76	32,253	6	3.3	00.2-06.4															
H.S. or G.E.D.	127	64,174				13	10.6	01.6-19.6										19	9.2	02.9-15.5
Some Post-H.S.	120	64,283	14	6.6	01.5-11.7													17	8.0	03.3-12.7
College Graduate	68	39,934	8	10.0	01.0-19.0										16	13.2	03.8-22.6			
Less than $15,000	91	33,639							10	6.0	00.7-11.3							12	12.4	02.4-22.4
$15,000- 24,999	79	46,260	10	10.4	01.0-19.8	9	3.6	01.1-06.1				10	4.6	00.9-08.3						

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS.   ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR   "A ONE C"? (CHKHEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1-2 per yr N	%	C.I. (95%)	3-4 per yr N	%	C.I. (95%)	5-9 per yr N	%	C.I. (95%)	10 or more per yr N	%	C.I. (95%)	NONE N	%	C.I. (95%)	Never Heard of N	%	C.I. (95%)
TOTAL	638	386,451	268	40.5	33.2-47.8	228	38.7	31.6-45.8	18	3.9	01.0-06.8	14	1.4	00.4-02.4	71	9.1	05.6-12.6	39	6.5	02.2-10.8
Male	273	194,140							9	5.0	00.0-10.1	6	1.4	00.0-03.2	28	7.7	02.6-12.8	12	7.7	00.0-15.7
Female	365	192,311	143	36.3	27.9-44.7	135	43.8	34.6-53.0	9	2.8	00.0-05.7	8	1.3	00.0-02.7	43	10.6	05.7-15.5	27	5.2	02.5-07.9
White/Non-Hisp	432	269,095	195	40.8	32.4-49.2	157	40.6	32.0-49.2	9	2.7	00.2-05.2	8	1.4	00.0-02.8	39	7.3	03.6-11.0	24	7.2	01.1-13.3
Oth. Race/Non-Hisp.	63	34,007							2	1.1	00.0-03.1	3	3.5	00.0-07.8	7	5.5	00.0-11.2	5	2.7	00.0-05.8
Hispanic	120	63,176							5	1.7	00.0-03.7	1	0.0	00.0-00.0				10	7.3	01.0-13.6
45-54	79	84,024							3	5.8	00.0-15.6	1	0.4	00.0-01.2	12	9.6	01.2-18.0	2	0.7	00.0-01.7
55-64	172	93,553							4	0.2	00.0-00.4	4	1.1	00.0-02.3	23	13.0	04.8-21.2	4	3.1	00.0-07.0
65+	337	139,094	149	41.1	32.5-49.7	114	35.4	27.0-43.8	9	4.4	00.3-08.5	8	2.5	00.0-05.2	30	8.8	03.1-14.5	27	7.8	02.7-12.9
Less Than H.S.	87	37,248							5	3.6	00.0-07.3	3	7.2	00.0-17.0				7	4.0	00.7-07.3
H.S. or G.E.D.	194	117,163							6	4.3	00.0-09.0	5	1.0	00.0-02.0	24	12.0	04.6-19.4			
Some Post-H.S.	202	117,114							5	5.7	00.0-13.3	4	0.9	00.0-01.9	20	7.9	02.0-13.8	9	3.2	00.3-06.1
College Graduate	153	114,031							2	1.9	00.0-05.4	2	0.3	00.0-00.7	5	3.7	00.0-09.6	5	5.8	00.0-11.7
Less than $15,000	108	49,411										4	2.3	00.0-04.8				8	7.7	00.4-15.0
$15,000- 24,999	120	73,923							2	3.2	00.0-08.5	5	4.6	00.0-09.9						
$25,000- 34,999	73	35,548							3	3.2	00.0-07.9	1	0.4	00.0-01.2	10	9.0	02.1-15.9	5	7.1	00.0-15.7
$35,000- 49,999	89	63,330							1	2.8	00.0-08.3				7	4.8	00.0-10.3	4	4.3	00.0-09.8
$50,000- 74,999	66	38,964										1	0.6	00.0-01.8	4	1.5	00.0-03.3	1	0.1	00.0-00.3
$75,000+	86	73,984							1	2.8	00.0-08.1				4	5.9	00.0-14.9			

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS.   ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR   "A ONE C"? (CHKHEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	NUMBER WEIGHTED	5-9 per yr N	%	C.I. (95%)	10 or more per yr N	%	C.I. (95%)	NONE N	%	C.I. (95%)	Never Heard of N	%	C.I. (95%)
Male	273	194,140	9	5.0	00.0-10.1	6	1.4	00.0-03.2	28	7.7	02.6-12.8	12	7.7	00.0-15.9
White/Non-Hisp	202	148,737	6	3.4	00.0-07.1	4	1.5	00.0-03.7	19	7.2	01.7-12.7	8	9.5	00.0-19.9
55-64	75	43,646	1	0.0	00.0-00.0	2	1.1	00.0-02.5	7	7.5	00.0-15.7	1	3.8	00.0-11.1
65+	153	74,715	7	7.3	00.0-14.7	3	2.6	00.0-06.7	14	9.3	00.1-18.5	9	7.1	00.0-15.1
H.S. or G.E.D.	74	56,865	4	4.9	00.0-11.8	2	1.0	00.0-02.4						
Some Post-H.S.	86	53,706				2	0.9	00.0-02.3	9	5.1	00.6-09.6	2	3.2	00.0-08.9
College Graduate	88	74,626	1	2.7	00.0-08.0	1	0.3	00.0-00.9	2	4.8	00.0-13.6	2	5.8	00.0-14.0
$75,000+	56	55,347	1	3.7	00.0-11.0				3	7.1	00.0-19.1			

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS.   ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR   "A ONE C"? (CHKHEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	TOTAL	WEIGHTED	1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	365	192,311	143	36.3	27.9-44.7	135	43.8	34.6-53.0	9	2.8	00.0-05.7	8	1.3	00.0-02.7	43	10.6	05.7-15.5	27	5.2	02.3-08.1
White/Non-Hisp	230	120,358							3	1.9	00.0-05.2	4	1.3	00.0-03.3	20	7.4	02.9-11.9	16	4.4	01.3-07.5
Hispanic	84	46,775							4	2.2	00.0-04.7	1	0.0	00.0-00.0				8	8.9	00.5-17.3
45-54	50	48,878							2	1.1	00.0-02.7				7	8.9	00.0-18.1	2	1.1	00.0-02.7
55-64	97	49,907							3	0.4	00.0-00.8	2	1.0	00.0-02.6				3	2.6	00.0-05.9
65+	184	64,379							2	1.0	00.0-02.6	5	2.3	00.0-05.8	16	8.2	01.9-14.5	18	8.7	02.8-14.6
Less Than H.S.	63	28,420							4	3.6	00.0-07.9	2	4.0	00.0-11.8				4	2.6	00.0-05.5
H.S. or G.E.D.	120	60,298							2	3.7	00.0-10.2	3	1.1	00.0-02.7	14	12.3	03.1-21.5	13	8.4	01.7-15.1
Some Post-H.S.	116	63,408							2	3.2	00.0-09.3	2	0.8	00.0-02.0				7	3.1	00.2-06.0
College Graduate	65	39,405							1	0.2	00.0-00.6	1	0.4	00.0-01.2	3	1.8	00.0-04.2	3	5.8	00.0-13.6
Less than $15,000	84	31,410										3	2.9	00.0-06.6						
$15,000- 24,999	71	41,978							2	5.6	00.0-14.8	2	3.0	00.0-08.5	8	9.4	00.4-18.4	4	2.1	00.0-04.6

```
                                              NOTE:
  '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                       Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
TOTAL	676	406,100	170	26.6	20.3-32.9	84	10.5	06.8-14.2	57	6.5	03.8-09.2	92	15.6	09.9-21.3	56	10.1	05.2-15.0	217	30.6	24.3-36.9
Male	284	201,417	85	30.5	20.5-40.5	34	8.8	03.5-14.1	21	4.9	02.0-07.8	39	14.0	05.8-22.2	22	12.1	03.3-20.9	83	29.8	20.0-39.6
Female	392	204,683	85	22.7	15.1-30.3	50	12.3	07.2-17.4	36	8.2	03.7-12.7	53	17.2	09.6-24.8	34	8.1	03.8-12.4	134	31.5	23.9-39.1
White/Non-Hisp	452	278,937	113	26.9	19.3-34.5	52	9.9	05.4-14.4	37	6.1	03.2-09.0	63	16.8	09.5-24.1	36	10.3	04.2-16.4	151	30.0	22.9-37.1
Oth. Race/Non-Hisp.	71	38,693							6	3.5	00.0-07.0				10	6.5	01.2-11.8			
Hispanic	129	67,801				15	9.8	01.8-17.8	12	10.0	00.0-20.0				6	6.9	00.0-16.3			
45-54	89	91,303							5	3.7	00.0-08.2				8	7.5	00.0-16.7			
55-64	180	96,552	39	23.5	14.1-32.9	26	14.0	07.1-20.9	22	12.3	04.3-20.3	25	15.1	05.9-24.3	12	7.4	02.3-12.5	56	27.7	18.3-37.1
65+	353	146,666	97	26.4	19.0-33.8	39	8.3	04.8-11.8	29	7.7	03.8-11.6	46	9.9	04.6-15.2	32	10.3	05.0-15.6	110	37.4	29.0-45.8
Less Than H.S.	107	45,561				10	8.9	01.8-16.0	12	4.6	00.9-08.3				9	9.7	02.1-17.3			
H.S. or G.E.D.	204	122,893				29	8.9	04.2-13.6	12	3.1	00.7-05.5	25	9.7	02.4-17.0						
Some Post-H.S.	205	118,721	53	20.2	11.8-28.6	31	16.3	06.9-25.7	17	10.1	03.0-17.2				17	10.8	02.0-19.6	59	23.7	15.5-31.9
College Graduate	158	118,030				14	7.2	01.9-12.5	16	7.4	02.3-12.5				14	7.6	02.1-13.1			
Less than $15,000	121	52,980				11	11.0	01.6-20.4	11	5.6	00.9-10.3									
$15,000- 24,999	130	82,897				12	6.9	00.6-13.2	11	3.4	00.3-06.5	14	9.0	00.8-17.2	14	7.4	02.1-12.7			
$25,000- 34,999	78	37,511							4	6.0	00.0-14.0	14	12.6	02.8-22.4	7	9.8	00.6-19.0			
$35,000- 49,999	90	65,560				15	12.3	03.7-20.9	6	4.2	00.0-08.9	11	11.0	01.2-20.8						
$50,000- 74,999	65	38,691										9	5.2	00.1-10.3	3	6.6	00.0-14.6			
$75,000+	86	73,984				10	5.0	00.9-09.1	10	8.7	01.4-16.0				6	8.4	00.6-16.2			

```
                                    NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
              Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Male	284	201,417	85	30.5	20.7-40.3	34	8.8	03.5-14.1	21	4.9	02.0-07.8	39	14.0	05.8-22.2	22	12.1	03.3-20.9	83	29.8	20.2-39.4
White/Non-Hisp	206	150,278				25	9.1	02.6-15.6	13	4.9	01.2-08.6	28	12.1	02.7-21.5				58	27.2	17.4-37.0
55-64	75	43,614				12	10.2	02.8-17.6							4	6.4	00.0-13.1			
65+	157	75,328				18	8.3	03.2-13.4	9	3.5	00.8-06.2	19	7.2	01.9-12.5	13	10.7	02.3-19.1			
H.S. or G.E.D.	75	58,033				11	7.0	01.1-12.9	6	3.6	00.0-07.5	11	8.0	00.6-15.4						
Some Post-H.S.	88	54,886							2	3.2	00.0-09.1									
College Graduate	89	76,770				8	6.8	00.1-13.5	10	6.3	00.6-12.0				8	9.1	01.1-17.1			
$15,000- 24,999	53	35,555				3	7.2	00.0-19.0	4	4.0	00.0-08.7	8	6.0	00.7-11.3						
$75,000+	56	55,347				6	5.4	00.3-10.5	8	9.9	00.7-19.1				2	6.5	00.0-15.5			

```
                                                NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	1 time N	%	C.I. (95%)	2 times N	%	C.I. (95%)	3 times N	%	C.I. (95%)	4 times N	%	C.I. (95%)	5 or more times N	%	C.I. (95%)	None N	%	C.I. (95%)
Female	392	204,683	85	22.7	15.1-30.3	50	12.3	07.2-17.4	36	8.2	03.7-12.7	53	17.2	09.6-24.8	34	8.1	03.8-12.4	134	31.5	23.9-39.1
White/Non-Hisp	246	128,659	46	18.5	11.1-25.9	27	10.9	04.6-17.2	24	7.4	02.7-12.1				21	7.6	03.1-12.1	93	33.3	23.5-43.1
Hispanic	89	48,640				9	7.4	00.3-14.5												
45-54	54	50,117							4	5.9	00.0-14.1				4	2.4	00.0-05.1			
55-64	105	52,937	20	16.3	06.7-25.9										8	8.2	00.8-15.6			
65+	196	71,338	48	27.1	17.1-37.1	21	8.4	03.3-13.5	20	12.2	04.8-19.6	27	12.9	03.9-21.9	19	9.9	03.8-16.0	61	29.6	19.6-39.6
Less Than H.S.	76	33,949				9	11.9	02.3-21.5	9	2.8	00.4-05.2				6	8.2	00.0-16.4			
H.S. or G.E.D.	129	64,859				18	10.7	03.6-17.8	6	2.7	00.0-05.4				10	7.0	00.9-13.1			
Some Post-H.S.	117	63,836	24	14.5	05.9-23.1													32	20.6	11.2-30.0
College Graduate	69	41,260				6	7.9	00.0-16.5	6	9.4	00.0-19.6				6	4.8	00.1-09.5			
Less than $15,000	93	33,954							10	7.8	01.1-14.5				10	6.8	01.9-11.7			
$15,000- 24,999	77	47,342				9	6.8	00.9-12.7	7	3.0	00.0-07.3				5	4.3	00.0-09.6			

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	< 1 Month Ago N	%	C.I. (95%)	1 Month but < 12 Months N	%	C.I. (95%)	1+ Yrs but < 2 Years N	%	C.I. (95%)	2 or more Years N	%	C.I. (95%)	Never N	%	C.I. (95%)
TOTAL	684	404,683	121	17.6	12.5-22.7	353	53.5	46.4-60.6	94	13.3	08.4-18.2	88	10.9	07.4-14.4	28	4.8	00.7-08.9
Male	287	203,348	60	19.3	12.0-26.6				35	10.9	03.5-18.3	39	9.3	04.6-14.0	11	5.7	00.0-13.1
Female	397	201,335	61	15.8	08.7-22.9	211	52.1	43.7-60.5	59	15.8	09.3-22.3	49	12.5	07.6-17.4	17	3.9	01.0-06.8
White/Non-Hisp	458	276,700	78	16.9	11.4-22.4	233	51.9	43.7-60.1	73	15.7	09.0-22.4	62	11.1	07.0-15.2	12	4.4	00.0-10.1
Oth. Race/Non-Hisp.	73	39,806	12	7.7	01.4-14.0				6	5.9	00.0-12.8	7	4.5	00.4-08.6	4	6.8	00.0-16.8
Hispanic	129	67,315							13	9.0	00.0-18.2	16	10.7	02.3-19.1	11	6.0	00.0-12.3
45-54	87	86,779							9	9.2	00.0-19.6	13	7.7	00.6-14.8	7	4.3	00.0-09.2
55-64	181	96,923	36	20.9	12.5-29.3				27	17.3	08.3-26.3	22	11.7	04.6-18.8	7	3.3	00.0-06.8
65+	361	148,441	63	17.6	11.5-23.7	195	56.1	47.7-64.5	53	13.0	07.1-18.9	41	11.0	06.1-15.9	9	2.3	00.0-05.0
Less Than H.S.	108	44,897													8	3.3	00.0-06.8
H.S. or G.E.D.	206	121,054							32	9.4	04.5-14.3	32	15.0	07.2-22.8			
Some Post-H.S.	209	119,535	39	15.9	08.1-23.7							27	8.1	03.8-12.4	3	0.8	00.0-01.8
College Graduate	159	118,303	31	19.7	10.1-29.3				25	9.8	03.3-16.3	9	4.6	00.0-09.3	8	3.4	00.0-07.1
Less than $15,000	118	48,342	16	10.3	02.9-17.7										8	5.9	00.0-14.1
$15,000- 24,999	133	83,375							20	4.3	01.2-07.4				7	4.3	00.0-08.8
$25,000- 34,999	79	37,871										9	3.3	00.0-06.6	3	2.6	00.0-06.7
$35,000- 49,999	92	65,805	12	9.6	00.0-20.0				9	5.5	00.8-10.2						
$50,000- 74,999	66	38,964										4	3.7	00.0-08.2	1	1.0	00.0-03.0
$75,000+	86	73,984										5	4.6	00.0-11.3	3	1.4	00.0-03.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT TOTAL	NUMBER WEIGHTED	< 1 Month Ago			1+ Yrs but < 2 Years			2 or more Years			Never		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	287	203,348	60	19.3	12.0-26.6	35	10.9	03.5-18.3	39	9.3	04.6-14.0	11	5.7	00.0-13.3
White/Non-Hisp	209	151,486	42	19.3	10.5-28.1	31	14.0	04.4-23.6	31	9.7	04.4-15.0	6	7.1	00.0-17.1
55-64	77	44,043							6	8.9	00.0-19.7	3	5.2	00.0-12.6
65+	159	76,444				20	9.2	02.3-16.1	25	11.9	05.0-18.8	5	0.7	00.0-01.7
H.S. or G.E.D.	77	60,014				10	7.1	00.0-14.2						
Some Post-H.S.	89	55,252	15	9.9	02.8-17.0				15	10.1	02.7-17.5	2	1.5	00.0-03.7
College Graduate	90	77,043				12	9.6	00.6-18.6	5	4.1	00.0-10.4	1	0.1	00.0-00.3
$15,000- 24,999	53	35,555				8	5.4	00.0-12.1				4	7.1	00.0-16.9
$75,000+	56	55,347							3	5.3	00.0-13.9	1	0.7	00.0-02.1

```
                                            NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	< 1 Month Ago N	%	C.I. (95%)	1 Month but < 12 Months N	%	C.I. (95%)	1+ Yrs but < 2 Years N	%	C.I. (95%)	2 or more Years N	%	C.I. (95%)	Never N	%	C.I. (95%)
Female	397	201,335	61	15.8	08.5-23.1	211	52.1	43.7-60.5	59	15.8	09.1-22.5	49	12.5	07.4-17.6	17	3.9	01.0-06.8
White/Non-Hisp	249	125,214	36	13.9	07.6-20.2				42	17.7	08.9-26.5	31	12.8	06.3-19.3	6	1.3	00.0-02.7
Hispanic	90	48,597													7	7.2	00.0-15.8
45-54	53	46,100										8	4.6	00.5-08.7	6	7.4	00.0-16.4
55-64	104	52,880	16	14.6	05.0-24.2							16	13.9	04.3-23.5	4	1.7	00.0-03.5
65+	202	71,997	34	14.6	08.3-20.9				33	17.0	07.6-26.4	16	10.0	02.9-17.1	4	3.9	00.0-09.6
Less Than H.S.	78	33,973	12	9.1	01.8-16.4										5	4.0	00.0-08.5
H.S. or G.E.D.	129	61,040							22	11.7	05.0-18.4				4	3.8	00.0-10.1
Some Post-H.S.	120	64,283										12	6.4	01.5-11.3	1	0.2	00.0-00.6
College Graduate	69	41,260							13	10.2	01.6-18.8	4	5.6	00.0-13.0	7	9.6	00.0-19.6
Less than $15,000	90	29,497	11	9.6	02.3-16.9												
$15,000- 24,999	80	47,820							12	3.5	01.0-06.0				3	2.3	00.0-05.4

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	679	406,326	124	16.0	10.9-21.1	555	84.0	78.9-89.1
Male	286	203,037	55	13.3	07.6-19.0	231	86.7	81.0-92.4
Female	393	203,289	69	18.7	10.7-26.7	324	81.3	73.3-89.3
White/Non-Hisp	452	278,609	77	15.7	10.0-21.4	375	84.3	78.6-90.0
Oth. Race/Non-Hisp.	71	39,197	17	12.8	03.0-22.6	54	87.2	77.4-97.0
65+	356	146,174	55	10.3	05.6-15.0	301	89.7	85.0-94.4
Some Post-H.S.	208	118,641	44	14.9	07.5-22.3	164	85.1	77.7-92.5
College Graduate	158	118,166	21	12.2	04.0-20.4	137	87.8	79.6-96.0
Less than $15,000	119	52,351	29	13.0	05.4-20.6	90	87.0	79.4-94.6
$25,000- 34,999	79	38,073	14	9.9	02.1-17.7	65	90.1	82.3-97.9
$35,000- 49,999	90	65,005	13	7.9	01.4-14.4	77	92.1	85.6-98.6
$50,000- 74,999	65	38,070	9	10.4	02.2-18.6	56	89.6	81.4-97.8

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	286	203,037	55	13.3	07.6-19.0	231	86.7	81.0-92.4
White/Non-Hisp	207	150,518	39	14.7	07.4-22.0	168	85.3	78.0-92.6
65+	157	75,413	26	13.3	04.7-21.9	131	86.7	78.1-95.3
Some Post-H.S.	88	54,358	22	13.8	04.6-23.0	66	86.2	77.0-95.4
College Graduate	89	76,906	10	10.9	00.9-20.9	79	89.1	79.1-99.1
$15,000- 24,999	52	35,481	13	10.7	02.7-18.7	39	89.3	81.3-97.3

```
                                           NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                         Rows with less than 50 observations have been suppressed.
         Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	393	203,289	69	18.7	10.9-26.5	324	81.3	73.5-89.1
White/Non-Hisp	245	128,091	38	16.8	08.0-25.6	207	83.2	74.4-92.0
65+	199	70,761	29	7.2	03.7-10.7	170	92.8	89.3-96.3
Less than $15,000	90	33,220	25	16.7	06.9-26.5	65	83.3	73.5-93.1

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                     Rows with less than 50 observations have been suppressed.
         Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 2: DIABETES
TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	690	409,917	394	52.8	45.9-59.7	296	47.2	40.3-54.1
Female	401	205,849	237	55.6	47.2-64.0	164	44.4	36.0-52.8
White/Non-Hisp	458	280,340	267	55.0	46.6-63.4	191	45.0	36.6-53.4
55-64	182	96,980	119	71.1	61.3-80.9	63	28.9	19.1-38.7
65+	363	148,807	198	51.0	42.6-59.4	165	49.0	40.6-57.4

March 18, 2010

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDENT NUMBER		Yes			No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	401	205,849	237	55.6	47.4-63.8	164	44.4	36.2-52.6

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* *

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* *

March 18, 2010

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.
* *

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 1: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	1980	1,217,439	1341	72.2	68.7-75.7	639	27.8	24.3-31.3
Male	815	651,904	529	72.4	66.9-77.9	286	27.6	22.1-33.1
Female	1165	565,535	812	71.9	67.8-76.0	353	28.1	24.0-32.2
White/Non-Hisp	1562	951,119	1037	71.2	67.3-75.1	525	28.8	24.9-32.7
Hispanic	249	151,790	170	76.9	67.9-85.9	79	23.1	14.1-32.1
25-34	53	131,307	43	87.6	78.0-97.2	10	12.4	02.8-22.0
45-54	251	225,542	194	77.9	70.3-85.5	57	22.1	14.5-29.7
55-64	463	244,541	346	76.6	71.1-82.1	117	23.4	17.9-28.9
65+	1094	444,563	680	63.1	58.6-67.6	414	36.9	32.4-41.4
H.S. or G.E.D.	556	302,923	379	71.0	64.1-77.9	177	29.0	22.1-35.9
Some Post-H.S.	645	374,815	442	75.8	70.5-81.1	203	24.2	18.9-29.5
College Graduate	564	443,903	377	70.9	64.4-77.4	187	29.1	22.6-35.6
$15,000- 24,999	345	183,334	226	73.6	65.6-81.6	119	26.4	18.4-34.4
$35,000- 49,999	287	189,171	200	71.6	62.6-80.6	87	28.4	19.4-37.4
$50,000- 74,999	253	156,822	190	76.0	66.0-86.0	63	24.0	14.0-34.0
$75,000+	305	325,718	221	80.6	73.9-87.3	84	19.4	12.7-26.1

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 2: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	815	651,904	529	72.4	66.9-77.9	286	27.6	22.1-33.1
White/Non-Hisp	655	517,488	409	70.3	64.2-76.4	246	29.7	23.6-35.8
Hispanic	84	80,686	60	90.3	84.0-96.6	24	9.7	03.4-16.0
55-64	195	119,315	143	78.1	70.7-85.5	52	21.9	14.5-29.3
65+	430	210,957	238	57.3	49.7-64.9	192	42.7	35.1-50.3
Some Post-H.S.	244	171,947	165	77.9	69.5-86.3	79	22.1	13.7-30.5
College Graduate	288	280,669	189	71.8	62.6-81.0	99	28.2	19.0-37.4
$75,000+	183	231,534	128	80.5	71.7-89.3	55	19.5	10.7-28.3

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 3: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	1165	565,535	812	71.9	67.8-76.0	353	28.1	24.0-32.2
White/Non-Hisp	907	433,631	628	72.2	67.9-76.5	279	27.8	23.5-32.1
55-64	268	125,226	203	75.1	67.1-83.1	65	24.9	16.9-32.9
65+	664	233,606	442	68.4	63.1-73.7	222	31.6	26.3-36.9
H.S. or G.E.D.	363	150,989	261	71.4	63.6-79.2	102	28.6	20.8-36.4
Some Post-H.S.	401	202,868	277	74.1	67.2-81.0	124	25.9	19.0-32.8
College Graduate	276	163,234	188	69.4	61.6-77.2	88	30.6	22.8-38.4
Less than $15,000	169	59,401	119	74.6	64.6-84.6	50	25.4	15.4-35.4
$50,000- 74,999	129	73,870	93	77.5	67.7-87.3	36	22.5	12.7-32.3
$75,000+	122	94,184	93	81.0	72.4-89.6	29	19.0	10.4-27.6

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 4: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)
Denominator excludes: Respondents with refused/missing responses

| DEMOGRAPHIC | RESPONDENT NUMBER | | Yes | | | No | | | Do not use salt | | |
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1984	1,215,152	1423	71.9	67.8-76.0	393	21.9	18.0-25.8	168	6.3	04.7-07.9
Male	816	651,210	553	67.8	61.1-74.5	197	27.2	20.5-33.9	66	5.1	03.1-07.1
Female	1168	563,942	870	76.6	72.7-80.5	196	15.7	12.6-18.8	102	7.7	05.2-10.2
White/Non-Hisp	1565	948,826	1101	69.3	64.6-74.0	319	23.7	19.0-28.4	145	7.0	05.0-09.0
Oth. Race/Non-Hisp.	86	45,833				11	10.7	00.7-20.7	5	1.8	00.0-03.6
Hispanic	249	151,385	189	81.2	73.2-89.2	46	15.8	08.4-23.2	14	3.0	00.6-05.4
25-34	52	129,387							1	0.2	00.0-00.6
35-44	94	150,969							8	3.0	00.5-05.5
45-54	250	225,048	195	80.9	73.8-88.0	38	13.1	07.4-18.8	17	5.9	01.4-10.4
55-64	463	243,463	337	71.5	65.2-77.8	96	21.5	16.0-27.0	30	7.0	03.3-10.7
65+	1100	445,768	782	71.3	66.8-75.8	209	20.0	15.9-24.1	109	8.7	06.2-11.2
Less Than H.S.	208	91,954	154	81.1	73.7-88.5	37	13.6	07.3-19.9	17	5.3	01.8-08.8
H.S. or G.E.D.	558	302,484	424	76.0	69.3-82.7	102	19.1	13.2-25.0	32	4.9	01.6-08.2
Some Post-H.S.	645	374,428	450	74.6	69.3-79.9	130	19.1	14.4-23.8	65	6.3	03.8-08.8
College Graduate	567	444,360	391	64.7	56.5-72.9	124	27.9	19.5-36.3	52	7.4	04.5-10.3
Less than $15,000	258	108,437				49	19.8	11.4-28.2	22	8.9	01.5-16.3
$15,000- 24,999	345	183,028	253	80.5	73.6-87.4	59	15.6	09.1-22.1	33	3.9	01.7-06.1
$25,000- 34,999	237	107,802	187	81.2	73.2-89.2	35	15.2	07.4-23.0	15	3.6	01.4-05.8
$35,000- 49,999	287	188,965	209	72.4	63.2-81.6	57	19.8	12.0-27.6	21	7.8	02.7-12.9
$50,000- 74,999	253	156,252							16	5.2	01.9-08.5
$75,000+	305	325,718							26	5.3	02.6-08.0

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
               Rows with less than 50 observations have been suppressed.
   Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 5: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not use salt N	%	C.I. (95%)
Male	816	651,210	553	67.8	61.1-74.5	197	27.2	20.5-33.9	66	5.1	03.1-07.1
White/Non-Hisp	656	516,877	432	64.1	56.5-71.7	165	29.9	22.3-37.5	59	6.0	03.6-08.4
Hispanic	83	80,191							5	1.3	00.0-02.7
45-54	111	110,978				19	18.1	08.1-28.1	3	1.0	00.0-02.4
55-64	195	118,515	135	67.6	58.2-77.0	48	25.3	16.9-33.7	12	7.1	01.4-12.8
65+	432	211,556	279	65.1	57.5-72.7	105	25.4	18.0-32.8	48	9.5	05.2-13.8
Less Than H.S.	89	47,241							5	2.2	00.0-04.6
H.S. or G.E.D.	193	151,227							9	2.8	00.0-06.3
Some Post-H.S.	245	171,959	163	72.2	63.8-80.6	60	22.4	14.6-30.2	22	5.3	02.2-08.4
College Graduate	288	280,669							29	6.6	03.1-10.1
Less than $15,000	89	50,775							8	3.6	00.5-06.7
$15,000- 24,999	121	76,919	90	87.6	80.0-95.2	19	9.8	02.7-16.9	12	2.6	00.6-04.6
$25,000- 34,999	87	45,285							5	2.5	00.0-05.0
$35,000- 49,999	127	111,657							7	3.9	00.0-08.4
$50,000- 74,999	123	82,141							7	5.1	00.0-10.2
$75,000+	183	231,534							15	4.3	01.6-07.0

```
                                         NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 6: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not use salt N	%	C.I. (95%)
Female	1168	563,942	870	76.6	72.7-80.5	196	15.7	12.6-18.8	102	7.7	05.2-10.2
White/Non-Hisp	909	431,949	669	75.6	71.1-80.1	154	16.2	12.5-19.9	86	8.2	05.1-11.3
Oth. Race/Non-Hisp.	50	23,996	40	95.0	90.9-99.1	6	2.8	00.1-05.5	4	2.2	00.0-04.7
Hispanic	166	71,194				29	17.6	08.0-27.2	9	4.9	00.4-09.4
35-44	52	48,759							7	6.6	00.7-12.5
45-54	139	114,070	106	81.0	71.2-90.8	19	8.3	03.0-13.6	14	10.7	02.1-19.3
55-64	268	124,947	202	75.1	67.1-83.1	48	18.0	10.9-25.1	18	6.9	01.8-12.0
65+	668	234,212	503	77.0	72.1-81.9	104	15.1	10.8-19.4	61	7.9	04.8-11.0
Less Than H.S.	119	44,713	90	81.2	71.8-90.6	17	10.3	04.0-16.6	12	8.5	01.6-15.4
H.S. or G.E.D.	365	151,258	285	77.4	69.8-85.0	57	15.6	09.5-21.7	23	7.0	01.5-12.5
Some Post-H.S.	400	202,469	287	76.6	70.1-83.1	70	16.3	10.8-21.8	43	7.1	03.4-10.8
College Graduate	279	163,692	204	74.4	67.0-81.8	52	16.8	10.5-23.1	23	8.9	03.8-14.0
Less than $15,000	169	57,661				25	13.8	05.6-22.0			
$15,000- 24,999	224	106,109	163	75.3	65.5-85.1	40	19.9	10.5-29.3	21	4.8	01.5-08.1
$25,000- 34,999	150	62,517	121	87.0	80.7-93.3	19	8.6	03.1-14.1	10	4.4	01.3-07.5
$35,000- 49,999	160	77,308				28	17.0	08.2-25.8	14	13.5	03.5-23.5
$50,000- 74,999	130	74,111				23	19.4	09.4-29.4	9	5.2	01.1-09.3
$75,000+	122	94,184	85	75.9	65.9-85.9	26	16.4	08.2-24.6	11	7.6	01.1-14.1

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 7: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)	Do not drink N	Do not drink %	Do not drink C.I. (95%)
TOTAL	1979	1,209,468	648	40.1	36.0-44.2	479	28.3	24.0-32.6	852	31.6	28.1-35.1
Male	813	643,795	319	41.9	35.2-48.6	248	35.9	28.8-43.0	246	22.2	17.5-26.9
Female	1166	565,673	329	38.1	33.2-43.0	231	19.6	16.1-23.1	606	42.3	37.6-47.0
White/Non-Hisp	1563	945,334	493	37.7	33.0-42.4	420	30.3	25.6-35.0	650	32.0	28.1-35.9
Oth. Race/Non-Hisp.	86	45,833				11	6.1	01.2-11.0			
25-34	53	131,307							8	8.2	00.4-16.0
45-54	248	223,160	104	48.4	38.8-58.0	56	23.6	15.2-32.0	88	28.0	20.0-36.0
55-64	461	244,043	163	40.6	33.9-47.3	113	26.4	20.3-32.5	185	32.9	26.6-39.2
65+	1099	445,464	307	29.9	25.4-34.4	260	26.7	22.4-31.0	532	43.4	38.7-48.1
H.S. or G.E.D.	557	303,037	182	38.8	30.0-47.6	98	22.2	13.6-30.8	277	39.0	31.2-46.8
Some Post-H.S.	645	375,438	217	45.7	38.6-52.8	151	23.3	18.0-28.6	277	31.0	25.1-36.9
College Graduate	563	435,939	190	38.1	31.0-45.2	202	37.6	29.6-45.6	171	24.3	18.4-30.2
Less than $15,000	258	110,230				33	17.1	08.7-25.5			
$15,000- 24,999	344	182,477							176	36.4	26.8-46.0
$25,000- 34,999	237	107,802				41	16.8	08.2-25.4			
$35,000- 49,999	286	189,546				88	27.5	17.5-37.5	105	30.1	20.7-39.5
$50,000- 74,999	252	156,458	94	42.8	32.8-52.8				77	22.1	15.2-29.0
$75,000+	303	317,901	104	41.0	31.4-50.6				77	19.1	12.0-26.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 8: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not drink N	%	C.I. (95%)
Male	813	643,795	319	41.9	35.2-48.6	248	35.9	28.8-43.0	246	22.2	17.5-26.9
White/Non-Hisp	655	511,396	238	39.1	31.8-46.4	220	36.7	29.1-44.3	197	24.2	18.5-29.9
Hispanic	83	78,861							24	13.3	03.5-23.1
45-54	110	109,348							29	19.3	09.3-29.3
55-64	195	119,054	89	48.3	38.3-58.3	54	28.4	19.6-37.2	52	23.3	14.7-31.9
65+	431	211,224	141	32.2	24.8-39.6	137	33.1	25.8-40.4	153	34.7	27.3-42.1
H.S. or G.E.D.	194	152,233							66	21.6	12.2-31.0
Some Post-H.S.	245	171,959				71	28.6	19.4-37.8	74	22.0	13.6-30.4
College Graduate	284	272,247	108	38.3	28.3-48.3				65	21.4	13.4-29.4
$50,000- 74,999	122	82,348							29	18.6	09.2-28.0
$75,000+	181	223,717							36	16.7	07.7-25.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 9: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not drink N	%	C.I. (95%)
Female	1166	565,673	329	38.1	33.2-43.0	231	19.6	16.1-23.1	606	42.3	37.6-47.0
White/Non-Hisp	908	433,938	255	36.2	30.7-41.7	200	22.7	18.4-27.0	453	41.1	36.0-46.2
Oth. Race/Non-Hisp.	50	23,996				7	4.1	00.4-07.8			
Hispanic	166	71,194				13	5.7	01.4-10.0			
45-54	138	113,812				27	14.0	05.0-23.0			
55-64	266	124,988	74	33.3	24.7-41.9	59	24.6	16.4-32.8	133	42.1	33.3-50.9
65+	668	234,240	166	27.8	22.7-32.9	123	21.0	16.3-25.7	379	51.3	45.4-57.2
Less Than H.S.	119	45,888				11	7.9	02.2-13.6			
H.S. or G.E.D.	363	150,804	103	33.3	25.1-41.5	49	10.1	05.8-14.4	211	56.6	48.2-65.0
Some Post-H.S.	400	203,479	117	42.7	33.7-51.7	80	18.8	13.1-24.5	203	38.6	30.6-46.6
College Graduate	279	163,692	82	37.8	29.2-46.4	91	33.0	24.6-41.4	106	29.2	21.6-36.8
Less than $15,000	169	59,454	40	23.9	14.1-33.7	16	12.7	03.3-22.1			
$15,000- 24,999	223	105,364				36	13.8	06.7-20.9			
$25,000- 34,999	150	62,517				18	10.8	04.9-16.7			
$35,000- 49,999	159	77,889				45	21.1	11.3-30.9			
$50,000- 74,999	130	74,111							48	26.0	16.4-35.6

```
                                              NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

TABLE 10: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	1975	1,213,431	1364	72.0	68.5-75.5	611	28.0	24.5-31.5
Male	813	649,098	578	75.6	70.1-81.1	235	24.4	18.9-29.9
Female	1162	564,333	786	68.0	63.7-72.3	376	32.0	27.7-36.3
White/Non-Hisp	1556	946,711	1057	72.8	69.1-76.5	499	27.2	23.5-30.9
45-54	251	225,542	187	72.8	64.2-81.4	64	27.2	18.6-35.8
55-64	463	242,186	319	73.7	68.2-79.2	144	26.3	20.8-31.8
65+	1089	442,910	733	67.3	62.8-71.8	356	32.7	28.2-37.2
H.S. or G.E.D.	557	303,081	372	66.4	58.0-74.8	185	33.6	25.2-42.0
Some Post-H.S.	641	371,656	439	68.5	62.4-74.6	202	31.5	25.4-37.6
College Graduate	563	442,996	401	78.7	73.6-83.8	162	21.3	16.2-26.4
$35,000- 49,999	287	189,198	198	72.1	63.1-81.1	89	27.9	18.9-36.9
$50,000- 74,999	253	156,252	196	79.9	72.5-87.3	57	20.1	12.7-27.5
$75,000+	303	323,269	232	84.1	78.2-90.0	71	15.9	10.0-21.8

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
              Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 11: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
Male	813	649,098	578	75.6	70.1-81.1	235	24.4	18.9-29.9
White/Non-Hisp	653	514,371	455	76.6	71.1-82.1	198	23.4	17.9-28.9
55-64	194	116,867	140	81.9	75.6-88.2	54	18.1	11.8-24.4
65+	429	210,597	290	67.9	60.6-75.2	139	32.1	24.8-39.4
Some Post-H.S.	243	169,499	172	73.3	63.7-82.9	71	26.7	17.1-36.3
College Graduate	287	279,869	209	80.7	73.8-87.6	78	19.3	12.4-26.2
$75,000+	181	229,085	143	86.9	79.6-94.2	38	13.1	05.8-20.4

```
                                   NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 12: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	1162	564,333	786	68.0	63.7-72.3	376	32.0	27.7-36.3
White/Non-Hisp	903	432,340	602	68.3	63.6-73.0	301	31.7	27.0-36.4
55-64	269	125,318	179	66.0	57.4-74.6	90	34.0	25.4-42.6
65+	660	232,313	443	66.8	61.3-72.3	217	33.2	27.7-38.7
H.S. or G.E.D.	363	150,606	239	64.1	55.9-72.3	124	35.9	27.7-44.1
Some Post-H.S.	398	202,156	267	64.5	56.5-72.5	131	35.5	27.5-43.5
College Graduate	276	163,128	192	75.2	67.9-82.5	84	24.8	17.5-32.1
$50,000- 74,999	130	74,111	100	80.5	71.5-89.5	30	19.5	10.5-28.5
$75,000+	122	94,184	89	77.1	67.7-86.5	33	22.9	13.5-32.3

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                     Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 13: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	1977	1,209,720	1011	58.4	54.3-62.5	966	41.6	37.5-45.7
Male	810	644,023	466	63.0	56.5-69.5	344	37.0	30.5-43.5
Female	1167	565,697	545	53.2	48.5-57.9	622	46.8	42.1-51.5
White/Non-Hisp	1560	944,307	762	57.1	52.6-61.6	798	42.9	38.4-47.4
45-54	249	224,914	170	65.0	55.8-74.2	79	35.0	25.8-44.2
55-64	463	242,094	275	64.1	57.8-70.4	188	35.9	29.6-42.2
65+	1095	443,563	462	44.3	39.4-49.2	633	55.7	50.8-60.6
H.S. or G.E.D.	558	300,450	282	55.7	47.1-64.3	276	44.3	35.7-52.9
Some Post-H.S.	644	373,185	320	56.5	49.8-63.2	324	43.5	36.8-50.2
College Graduate	560	440,286	292	61.8	54.7-68.9	268	38.2	31.1-45.3
$75,000+	303	325,263	176	65.9	57.3-74.5	127	34.1	25.5-42.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 14: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	810	644,023	466	63.0	56.5-69.5	344	37.0	30.5-43.5
White/Non-Hisp	650	509,601	358	62.4	55.5-69.3	292	37.6	30.7-44.5
55-64	194	116,776	130	67.8	58.4-77.2	64	32.2	22.8-41.6
65+	428	208,885	201	47.2	39.4-55.0	227	52.8	45.0-60.6
Some Post-H.S.	243	169,403	153	68.5	58.7-78.3	90	31.5	21.7-41.3

```
                                      NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 15: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	1167	565,697	545	53.2	48.5-57.9	622	46.8	42.1-51.5
White/Non-Hisp	910	434,705	404	50.9	45.6-56.2	506	49.1	43.8-54.4
55-64	269	125,318	145	60.7	52.1-69.3	124	39.3	30.7-47.9
65+	667	234,678	261	41.7	35.8-47.6	406	58.3	52.4-64.2
H.S. or G.E.D.	364	150,781	170	47.3	38.9-55.7	194	52.7	44.3-61.1
Some Post-H.S.	401	203,782	167	46.5	37.7-55.3	234	53.5	44.7-62.3
College Graduate	277	162,690	138	61.8	54.2-69.4	139	38.2	30.6-45.8

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 16: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not use salt N	%	C.I. (95%)
TOTAL	1975	1,210,144	1165	59.9	55.6-64.2	767	38.0	33.7-42.3	43	2.1	01.1-03.1
Male	809	645,725	489	58.6	51.7-65.5	304	39.8	32.9-46.7	16	1.6	00.6-02.6
Female	1166	564,419	676	61.4	56.9-65.9	463	35.9	31.6-40.2	27	2.7	00.9-04.5
White/Non-Hisp	1556	944,478	888	58.1	53.4-62.8	634	39.7	35.0-44.4	34	2.2	01.0-03.4
Oth. Race/Non-Hisp.	86	45,833							2	1.0	00.0-02.4
Hispanic	250	151,880							6	2.6	00.1-05.1
25-34	53	131,307							1	0.2	00.0-00.6
35-44	94	150,969							2	1.1	00.0-02.7
45-54	251	225,542	172	69.9	61.5-78.3	74	27.1	19.1-35.1	5	3.0	00.0-06.7
55-64	459	241,509	280	64.1	57.6-70.6	168	33.5	27.2-39.8	11	2.4	00.4-04.4
65+	1093	440,300	618	56.3	51.6-61.0	451	41.2	36.5-45.9	24	2.4	00.8-04.0
Less Than H.S.	208	92,718							6	2.1	00.0-04.3
H.S. or G.E.D.	557	302,960	332	65.0	57.6-72.4	209	31.4	24.5-38.3	16	3.6	00.7-06.5
Some Post-H.S.	643	372,292	381	62.3	55.6-69.0	251	36.6	29.9-43.3	11	1.2	00.2-02.2
College Graduate	562	440,363	316	54.8	47.0-62.6	236	43.3	35.5-51.1	10	1.8	00.2-03.4
Less than $15,000	256	108,300							7	5.0	00.0-12.1
$15,000- 24,999	345	183,281	212	71.8	63.8-79.8	126	26.6	18.8-34.4	7	1.7	00.1-03.3
$25,000- 34,999	236	107,349							1	0.2	00.0-00.6
$35,000- 49,999	287	188,100							8	3.5	00.4-06.6
$50,000- 74,999	250	155,642							6	2.8	00.1-05.5
$75,000+	303	322,370							1	0.4	00.0-01.2

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
             Rows with less than 50 observations have been suppressed.
   Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 17: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not use salt N	%	C.I. (95%)
Male	809	645,725	489	58.6	51.7-65.5	304	39.8	32.9-46.7	16	1.6	00.6-02.6
White/Non-Hisp	649	512,052	385	57.4	49.8-65.0	251	40.9	33.1-48.7	13	1.7	00.5-02.9
Hispanic	84	80,686							2	1.5	00.0-03.7
45-54	112	111,472							2	1.5	00.0-03.9
55-64	192	117,835	126	65.9	56.3-75.5	63	32.1	22.7-41.5	3	2.0	00.0-04.5
65+	427	206,257	245	57.6	50.0-65.2	172	39.5	31.9-47.1	10	2.8	00.3-05.3
Less Than H.S.	88	46,085							4	4.0	00.0-08.3
H.S. or G.E.D.	193	151,924							3	1.1	00.0-02.7
Some Post-H.S.	243	169,360							5	1.4	00.0-02.8
College Graduate	285	278,356							4	1.6	00.0-03.6
Less than $15,000	87	49,464							3	2.1	00.0-05.0
$15,000- 24,999	121	77,298	83	83.6	75.0-92.2	36	15.6	07.2-24.0	2	0.9	00.0-02.3
$25,000- 34,999	86	44,832							1	0.5	00.0-01.5
$35,000- 49,999	126	109,869							4	3.8	00.0-08.5
$50,000- 74,999	121	81,615							2	1.7	00.0-04.6
$75,000+	182	229,746							1	0.6	00.0-01.8

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 18: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not use salt N	%	C.I. (95%)
Female	1166	564,419	676	61.4	56.9-65.9	463	35.9	31.6-40.2	27	2.7	00.9-04.5
White/Non-Hisp	907	432,426	503	58.9	53.8-64.0	383	38.2	33.3-43.1	21	2.8	00.6-05.0
Oth. Race/Non-Hisp.	50	23,996							1	0.7	00.0-02.1
Hispanic	166	71,194							4	4.0	00.0-08.5
35-44	52	48,759							2	3.5	00.0-08.6
45-54	139	114,070							3	4.5	00.0-11.4
55-64	267	123,674	154	62.4	53.8-71.0	105	34.7	26.3-43.1	8	2.8	00.0-05.7
65+	666	234,042	373	55.2	49.3-61.1	279	42.7	36.8-48.6	14	2.1	00.3-03.9
Less Than H.S.	120	46,633							2	0.3	00.0-00.9
H.S. or G.E.D.	364	151,035	208	59.1	50.9-67.3	143	34.7	27.1-42.3	13	6.2	00.5-11.9
Some Post-H.S.	400	202,933	224	61.5	53.5-69.5	170	37.5	29.7-45.3	6	1.0	00.0-02.2
College Graduate	277	162,007	158	60.0	51.6-68.4	113	37.6	29.4-45.8	6	2.3	00.0-04.7
Less than $15,000	169	58,835							4	7.4	00.0-19.9
$15,000- 24,999	224	105,982							5	2.2	00.0-04.7
$35,000- 49,999	161	78,231							4	3.1	00.0-06.8
$50,000- 74,999	129	74,026							4	4.1	00.0-08.8

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 19: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not drink N	%	C.I. (95%)
TOTAL	1986	1,217,364	501	31.3	27.2-35.4	1057	52.1	47.8-56.4	428	16.6	13.9-19.3
Male	814	650,334	276	36.6	30.1-43.1	413	51.5	44.8-58.2	125	11.9	08.2-15.6
Female	1172	567,030	225	25.3	20.6-30.0	644	52.8	47.9-57.7	303	21.9	18.0-25.8
White/Non-Hisp	1566	950,543	362	29.1	24.6-33.6	907	55.8	51.1-60.5	297	15.1	12.2-18.0
Hispanic	250	151,880							93	22.2	13.6-30.8
25-34	53	131,307							6	5.9	00.0-12.2
35-44	94	150,969							14	11.2	02.2-20.2
45-54	251	225,542	99	41.1	31.7-50.5	110	40.8	31.6-50.0	42	18.1	10.5-25.7
55-64	463	244,299	141	32.0	25.7-38.3	238	53.9	47.2-60.6	84	14.1	09.4-18.8
65+	1100	444,730	203	20.4	16.3-24.5	620	57.3	52.4-62.2	277	22.3	18.2-26.4
Less Than H.S.	209	93,873							74	20.4	12.6-28.2
H.S. or G.E.D.	560	303,570	147	33.0	24.0-42.0	265	44.8	36.2-53.4	148	22.3	16.4-28.2
Some Post-H.S.	646	373,756	163	31.8	25.3-38.3	363	52.4	45.5-59.3	120	15.8	10.7-20.9
College Graduate	565	444,239	131	27.7	21.0-34.4	352	59.9	52.6-67.2	82	12.4	07.9-16.9
Less than $15,000	259	110,356							89	30.5	20.5-40.5
$15,000- 24,999	346	183,277							82	20.7	12.7-28.7
$25,000- 34,999	236	107,529	51	25.6	16.0-35.2				53	21.1	12.7-29.5
$35,000- 49,999	288	188,220							53	15.1	08.2-22.0
$50,000- 74,999	253	156,990	74	28.3	19.7-36.9	147	61.0	51.6-70.4	32	10.7	05.8-15.6
$75,000+	304	325,670	89	32.9	23.9-41.9	186	58.1	48.5-67.7	29	9.0	03.5-14.5

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
              Rows with less than 50 observations have been suppressed.
    Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 20: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)	Do not drink N	%	C.I. (95%)
Male	814	650,334	276	36.6	30.1-43.1	413	51.5	44.6-58.4	125	11.9	08.2-15.6
White/Non-Hisp	653	515,506	204	35.0	27.9-42.1	359	53.8	46.4-61.2	90	11.2	07.1-15.3
Hispanic	84	80,686							20	11.6	02.6-20.6
45-54	112	111,472							13	11.4	02.4-20.4
55-64	194	118,981	76	36.0	26.8-45.2	93	53.0	43.0-63.0	25	11.0	03.9-18.1
65+	430	209,721	107	26.1	19.0-33.2	242	54.8	47.0-62.6	81	19.1	12.4-25.8
Less Than H.S.	89	47,241							22	11.9	04.3-19.5
H.S. or G.E.D.	194	152,260							40	14.8	07.2-22.4
Some Post-H.S.	244	170,172							34	11.4	04.0-18.8
College Graduate	286	280,547	84	31.4	21.8-41.0				28	10.6	04.5-16.7
$35,000- 49,999	126	109,869							19	12.7	03.5-21.9
$50,000- 74,999	123	82,879							12	10.1	02.8-17.4
$75,000+	182	231,486							13	8.3	01.2-15.4

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                 Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 21: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)	Do not drink N	Do not drink %	Do not drink C.I. (95%)
Female	1172	567,030	225	25.3	20.6-30.0	644	52.8	47.9-57.7	303	21.9	18.0-25.8
White/Non-Hisp	913	435,037	158	22.2	17.1-27.3	548	58.2	52.7-63.7	207	19.7	15.6-23.8
55-64	269	125,318	65	28.3	19.5-37.1	145	54.7	45.5-63.9	59	17.1	10.8-23.4
65+	670	235,009	96	15.3	10.8-19.8	378	59.5	53.8-65.2	196	25.2	20.1-30.3
H.S. or G.E.D.	366	151,310	79	23.4	15.6-31.2	179	46.8	38.4-55.2	108	29.8	22.0-37.6
Some Post-H.S.	402	203,585	72	26.5	17.7-35.3	244	54.1	45.3-62.9	86	19.4	12.7-26.1
College Graduate	279	163,692	47	21.2	13.2-29.2	178	63.3	54.5-72.1	54	15.5	09.2-21.8
Less than $15,000	170	59,581	30	16.1	07.5-24.7						
$35,000- 49,999	162	78,351							34	18.4	08.4-28.4
$50,000- 74,999	130	74,111	28	20.1	10.7-29.5				20	11.3	04.6-18.0
$75,000+	122	94,184							16	10.8	02.8-18.8

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 22: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	1971	1,212,290	1392	75.3	71.8-78.8	579	24.7	21.2-28.2
Male	810	647,142	600	76.6	70.9-82.3	210	23.4	17.7-29.1
Female	1161	565,148	792	73.8	69.9-77.7	369	26.2	22.3-30.1
White/Non-Hisp	1553	946,180	1069	74.5	70.8-78.2	484	25.5	21.8-29.2
35-44	94	150,969	79	88.4	78.8-98.0	15	11.6	02.0-21.2
45-54	249	224,831	204	80.4	73.0-87.8	45	19.6	12.2-27.0
55-64	463	244,449	354	79.7	74.4-85.0	109	20.3	15.0-25.6
65+	1087	440,217	698	65.0	60.5-69.5	389	35.0	30.5-39.5
H.S. or G.E.D.	555	301,211	385	71.6	63.4-79.8	170	28.4	20.2-36.6
Some Post-H.S.	642	373,028	437	73.0	67.3-78.7	205	27.0	21.3-32.7
College Graduate	562	443,201	416	79.2	73.7-84.7	146	20.8	15.3-26.3
$25,000- 34,999	232	106,812	162	75.8	66.4-85.2	70	24.2	14.8-33.6
$35,000- 49,999	288	188,220	204	81.9	75.6-88.2	84	18.1	11.8-24.4
$50,000- 74,999	252	156,811	198	75.6	65.6-85.6	54	24.4	14.4-34.4
$75,000+	304	325,311	232	83.0	77.1-88.9	72	17.0	11.1-22.9

```
                                         NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

TABLE 23: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	810	647,142	600	76.6	71.1-82.1	210	23.4	17.9-28.9
White/Non-Hisp	650	512,720	472	76.4	70.9-81.9	178	23.6	18.1-29.1
55-64	195	119,254	155	80.9	72.7-89.1	40	19.1	10.9-27.3
65+	426	206,662	293	68.7	61.6-75.8	133	31.3	24.2-38.4
Some Post-H.S.	242	169,724	187	80.4	71.8-89.0	55	19.6	11.0-28.2
College Graduate	286	280,189	210	78.1	70.1-86.1	76	21.9	13.9-29.9
$35,000- 49,999	126	109,869	91	80.9	71.1-90.7	35	19.1	09.3-28.9
$75,000+	182	231,127	141	84.2	76.8-91.6	41	15.8	08.4-23.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 24: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	1161	565,148	792	73.8	69.9-77.7	369	26.2	22.3-30.1
White/Non-Hisp	903	433,460	597	72.3	68.0-76.6	306	27.7	23.4-32.0
Hispanic	166	71,194	126	79.0	69.4-88.6	40	21.0	11.4-30.6
35-44	52	48,759	45	93.6	87.1-0100	7	6.4	00.0-12.9
45-54	138	113,765	112	79.6	69.8-89.4	26	20.4	10.6-30.2
55-64	268	125,195	199	78.6	71.5-85.7	69	21.4	14.3-28.5
65+	661	233,556	405	61.7	56.0-67.4	256	38.3	32.6-44.0
Less Than H.S.	118	46,290	87	82.5	73.1-91.9	31	17.5	08.1-26.9
H.S. or G.E.D.	362	150,731	245	72.1	65.0-79.2	117	27.9	20.8-35.0
Some Post-H.S.	400	203,304	250	66.9	59.3-74.5	150	33.1	25.5-40.7
College Graduate	276	163,012	206	81.2	75.3-87.1	70	18.8	12.9-24.7
$25,000- 34,999	146	61,901	100	79.7	71.5-87.9	46	20.3	12.1-28.5
$35,000- 49,999	162	78,351	113	83.1	76.2-90.0	49	16.9	10.0-23.8
$50,000- 74,999	129	73,932	99	77.7	67.9-87.5	30	22.3	12.5-32.1
$75,000+	122	94,184	91	80.1	71.3-88.9	31	19.9	11.1-28.7

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 25: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	1988	1,217,238	1787	84.1	80.4-87.8	201	15.9	12.2-19.6
Male	816	650,655	716	79.5	73.2-85.8	100	20.5	14.2-26.8
Female	1172	566,583	1071	89.5	86.4-92.6	101	10.5	07.4-13.6
White/Non-Hisp	1568	950,417	1428	85.3	81.4-89.2	140	14.7	10.8-18.6
45-54	251	225,542	210	85.1	78.4-91.8	41	14.9	08.2-21.6
55-64	464	244,572	419	92.7	89.0-96.4	45	7.3	03.6-11.0
65+	1101	444,330	1045	94.2	91.7-96.7	56	5.8	03.3-08.3
H.S. or G.E.D.	560	303,098	510	84.6	76.4-92.8	50	15.4	07.2-23.6
Some Post-H.S.	647	374,054	582	85.0	78.9-91.1	65	15.0	08.9-21.1
College Graduate	566	444,287	508	84.9	78.6-91.2	58	15.1	08.8-21.4
$25,000- 34,999	237	107,802	220	90.0	81.6-98.4	17	10.0	01.6-18.4
$35,000- 49,999	288	188,220	258	86.3	79.0-93.6	30	13.7	06.4-21.0
$50,000- 74,999	253	156,990	224	83.3	73.3-93.3	29	16.7	06.7-26.7
$75,000+	305	325,718	273	84.0	76.0-92.0	32	16.0	08.0-24.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 26: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	816	650,655	716	79.5	73.2-85.8	100	20.5	14.2-26.8
White/Non-Hisp	655	515,827	580	80.5	73.8-87.2	75	19.5	12.8-26.2
55-64	195	119,254	173	88.8	81.5-96.1	22	11.2	03.9-18.5
65+	431	209,768	404	94.3	90.4-98.2	27	5.7	01.8-09.6
College Graduate	287	280,595	254	80.9	71.7-90.1	33	19.1	09.9-28.3
$35,000- 49,999	126	109,869	111	87.3	78.1-96.5	15	12.7	03.5-21.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 27: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	1172	566,583	1071	89.5	86.4-92.6	101	10.5	07.4-13.6
White/Non-Hisp	913	434,589	848	91.1	88.0-94.2	65	8.9	05.8-12.0
45-54	139	114,070	114	85.6	77.6-93.6	25	14.4	06.4-22.4
55-64	269	125,318	246	96.5	94.3-98.7	23	3.5	01.3-05.7
65+	670	234,562	641	94.2	91.1-97.3	29	5.8	02.7-08.9
H.S. or G.E.D.	365	150,565	335	88.7	83.4-94.0	30	11.3	06.0-16.6
Some Post-H.S.	403	203,882	370	91.9	87.8-96.0	33	8.1	04.0-12.2
College Graduate	279	163,692	254	91.7	87.0-96.4	25	8.3	03.6-13.0
Less than $15,000	169	58,835	154	90.6	83.0-98.2	15	9.4	01.8-17.0
$15,000- 24,999	225	106,162	206	86.9	77.9-95.9	19	13.1	04.1-22.1
$25,000- 34,999	150	62,517	145	98.5	97.1-99.9	5	1.5	00.1-02.9
$50,000- 74,999	130	74,111	116	89.5	82.4-96.6	14	10.5	03.4-17.6
$75,000+	122	94,184	110	93.7	89.2-98.2	12	6.3	01.8-10.8

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	Yes, during pregnancy N	%	C.I. (95%)	No N	%	C.I. (95%)	Told Borderline, pre-hypertensive N	%	C.I. (95%)
TOTAL	1970	1,207,351	1590	77.5	73.6-81.4	3	0.1	00.0-00.3	362	21.7	18.0-25.4	15	0.7	00.1-01.3
Male	810	646,842	640	74.0	67.7-80.3				162	25.3	19.0-31.6	8	0.7	00.0-01.5
Female	1160	560,508	950	81.5	77.8-85.2	3	0.3	00.0-00.7	200	17.6	13.9-21.3	7	0.6	00.0-01.2
White/Non-Hisp	1555	943,932	1281	79.3	75.4-83.2	2	0.1	00.0-00.3	260	19.7	15.8-23.6	12	0.8	00.2-01.4
Hispanic	247	148,813				1	0.1	00.0-00.5				2	0.2	00.0-00.4
35-44	94	150,969										1	0.5	00.0-01.5
45-54	249	224,036	200	81.7	74.8-88.6	2	0.2	00.0-00.6	46	17.9	11.0-24.8	1	0.2	00.0-00.6
55-64	460	241,723	377	83.5	78.8-88.2				77	14.8	10.3-19.3	6	1.8	00.0-03.8
65+	1089	438,799	907	84.0	80.5-87.5	1	0.3	00.0-00.9	174	15.1	11.6-18.6	7	0.6	00.0-01.4
Less Than H.S.	207	93,304										4	0.8	00.0-01.8
H.S. or G.E.D.	558	301,218	461	77.3	69.1-85.5	1	0.4	00.0-01.2	94	22.0	13.8-30.2	2	0.3	00.0-00.9
Some Post-H.S.	640	371,906	526	78.8	72.5-85.1	1	0.1	00.0-00.3	108	20.4	14.1-26.7	5	0.8	00.0-01.8
College Graduate	560	439,112	450	79.1	73.0-85.2	1	0.1	00.0-00.3	105	20.0	13.9-26.1	4	0.9	00.0-01.9
Less than $15,000	256	108,364										2	0.5	00.0-01.3
$15,000- 24,999	345	183,415										4	0.6	00.0-01.4
$25,000- 34,999	235	107,317	202	83.4	74.4-92.4				31	16.5	07.5-25.5	2	0.1	00.1-00.1
$35,000- 49,999	286	187,894	232	78.1	68.1-88.1	1	0.1	00.0-00.3	52	21.6	11.6-31.6	1	0.2	00.0-00.6
$50,000- 74,999	247	152,107	207	85.5	79.6-91.4				39	14.2	08.3-20.1	1	0.3	00.0-00.9
$75,000+	305	325,718	238	73.2	64.4-82.0	1	0.1	00.0-00.3	63	25.7	16.9-34.5	3	1.1	00.0-02.5

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
               Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)	Told Borderline, pre-hypertensive N	%	C.I. (95%)
Male	810	646,842	640	74.0	67.7-80.3	162	25.3	19.0-31.6	8	0.7	00.0-01.5
White/Non-Hisp	651	512,351	525	77.2	71.1-83.3	118	21.8	15.7-27.9	8	0.9	00.0-01.9
45-54	112	111,472	94	85.1	75.9-94.3	18	14.9	05.7-24.1			
55-64	195	119,254	152	78.9	71.3-86.5	40	19.3	11.9-26.7	3	1.8	00.0-04.5
65+	425	205,956	349	82.2	76.1-88.3	72	16.9	11.0-22.8	4	1.0	00.0-02.6
Less Than H.S.	88	47,174							2	0.9	00.0-02.7
H.S. or G.E.D.	195	152,533							2	0.6	00.0-01.6
Some Post-H.S.	243	169,903							2	1.0	00.0-03.0
College Graduate	284	277,233	224	77.2	68.4-86.0	58	22.1	13.3-30.9	2	0.7	00.0-01.9
Less than $15,000	89	50,775							2	1.1	00.0-02.9
$15,000- 24,999	121	77,298							1	1.0	00.0-03.0
$25,000- 34,999	86	45,248							2	0.1	00.0-00.3
$50,000- 74,999	120	79,285	101	87.3	79.3-95.3	19	12.7	04.7-20.7			
$75,000+	183	231,534							2	0.8	00.0-02.2

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	Yes, during pregnancy N	Yes, during pregnancy %	Yes, during pregnancy C.I. (95%)	No N	No %	No C.I. (95%)	Told Borderline, pre-hypertensive N	Told Borderline, pre-hypertensive %	Told Borderline, pre-hypertensive C.I. (95%)
Female	1160	560,508	950	81.5	77.8-85.2	3	0.3	00.0-00.7	200	17.6	13.9-21.3	7	0.6	00.0-01.2
White/Non-Hisp	904	431,582	756	81.9	77.8-86.0	2	0.3	00.0-00.9	142	17.2	13.1-21.3	4	0.6	00.0-01.4
Hispanic	163	68,127	121	81.1	72.3-89.9	1	0.3	00.0-00.9	39	18.2	09.4-27.0	2	0.4	00.0-01.0
45-54	137	112,563	106	78.4	68.4-88.4	2	0.5	00.0-01.1	28	20.8	10.8-30.8	1	0.3	00.0-00.9
55-64	265	122,469	225	87.9	82.6-93.2				37	10.3	05.6-15.0	3	1.8	00.0-04.3
65+	664	232,843	558	85.7	81.8-89.6	1	0.5	00.0-01.5	102	13.5	09.6-17.4	3	0.4	00.0-01.0
Less Than H.S.	119	46,130										2	0.6	00.0-01.6
H.S. or G.E.D.	363	148,685	304	79.7	72.6-86.8	1	0.8	00.0-02.4	58	19.5	12.4-26.6			
Some Post-H.S.	397	202,003	332	84.9	79.0-90.8	1	0.1	00.0-00.3	61	14.3	08.6-20.0	3	0.6	00.0-01.4
College Graduate	276	161,879	226	82.4	75.5-89.3	1	0.1	00.0-00.3	47	16.3	09.6-23.0	2	1.2	00.0-03.2
Less than $15,000	167	57,588	139	85.6	77.4-93.8				28	14.4	06.2-22.6			
$15,000- 24,999	224	106,117	181	85.5	77.9-93.1				40	14.2	06.6-21.8	3	0.3	00.0-00.7
$25,000- 34,999	149	62,069	129	86.1	76.3-95.9				20	13.9	04.1-23.7			
$35,000- 49,999	160	78,025				1	0.3	00.0-00.9				1	0.5	00.0-01.5
$50,000- 74,999	127	72,821	106	83.4	74.6-92.2				20	15.9	07.3-24.5	1	0.7	00.0-02.1
$75,000+	122	94,184				1	0.3	00.0-00.9				1	1.7	00.0-04.8

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009

MODULE 8: HEART ATTACK AND STROKE CONTENTS

March 18, 2010

MODULE 8: HEART ATTACK AND STROKE CONTENTS

* **NOTE** *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.
* *

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 1: NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK?   FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (DO YOU THINK) PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP1)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4487	3,851,633	3254	62.2	59.1-65.3	1233	37.8	34.7-40.9
Male	1677	1,884,100	1074	54.2	49.5-58.9	603	45.8	41.1-50.5
Female	2810	1,967,533	2180	69.9	66.2-73.6	630	30.1	26.4-33.8
White/Non-Hisp	3491	2,841,315	2673	68.4	65.1-71.7	818	31.6	28.3-34.9
Hispanic	603	669,817	332	42.9	34.9-50.9	271	57.1	49.1-65.1
25-34	340	736,643	181	47.7	39.3-56.1	159	52.3	43.9-60.7
35-44	525	693,783	319	57.5	51.0-64.0	206	42.5	36.0-49.0
45-54	772	718,360	584	74.1	69.0-79.2	188	25.9	20.8-31.0
55-64	1001	570,966	786	76.4	71.9-80.9	215	23.6	19.1-28.1
65+	1715	720,590	1323	75.0	71.7-78.3	392	25.0	21.7-28.3
H.S. or G.E.D.	1134	935,673	770	51.4	44.9-57.9	364	48.6	42.1-55.1
Some Post-H.S.	1429	1,199,962	1082	63.9	57.8-70.0	347	36.1	30.0-42.2
College Graduate	1544	1,433,799	1200	70.8	66.7-74.9	344	29.2	25.1-33.3
Less than $15,000	462	258,447	284	49.8	40.6-59.0	178	50.2	41.0-59.4
$15,000- 24,999	687	500,918	460	53.0	45.0-61.0	227	47.0	39.0-55.0
$25,000- 34,999	480	291,866	358	68.2	60.9-75.5	122	31.8	24.5-39.1
$35,000- 49,999	649	546,778	474	58.7	49.5-67.9	175	41.3	32.1-50.5
$50,000- 74,999	656	578,422	502	70.4	63.5-77.3	154	29.6	22.7-36.5
$75,000+	966	1,240,667	758	65.2	59.1-71.3	208	34.8	28.7-40.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 2: NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK?   FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (DO YOU THINK) PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP1)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1677	1,884,100	1074	54.2	49.5-58.9	603	45.8	41.1-50.5
White/Non-Hisp	1338	1,415,611	891	59.4	54.1-64.7	447	40.6	35.3-45.9
45-54	275	343,433	196	67.6	59.0-76.2	79	32.4	23.8-41.0
55-64	392	255,135	264	64.7	56.9-72.5	128	35.3	27.5-43.1
65+	653	317,343	449	68.5	63.0-74.0	204	31.5	26.0-37.0
H.S. or G.E.D.	392	484,059	222	42.0	32.4-51.6	170	58.0	48.4-67.6
Some Post-H.S.	489	536,456	328	55.8	46.2-65.4	161	44.2	34.6-53.8
College Graduate	649	709,357	451	63.5	56.8-70.2	198	36.5	29.8-43.2
$75,000+	465	687,718	335	57.2	49.0-65.4	130	42.8	34.6-51.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 3: NOW I WOULD LIKE TO ASK YOU ABOUT YOUR KNOWLEDGE OF THE SIGNS AND SYMPTOMS OF A HEART ATTACK AND STROKE. WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A HEART ATTACK?   FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (DO YOU THINK) PAIN OR DISCOMFORT IN THE JAW, NECK, OR BACK (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP1)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2810	1,967,533	2180	69.9	66.2-73.6	630	30.1	26.4-33.8
White/Non-Hisp	2153	1,425,703	1782	77.2	73.1-81.3	371	22.8	18.7-26.9
25-34	228	366,936	135	57.1	47.9-66.3	93	42.9	33.7-52.1
35-44	345	344,501	226	64.6	57.2-72.0	119	35.4	28.0-42.8
45-54	497	374,927	388	80.1	74.4-85.8	109	19.9	14.2-25.6
55-64	609	315,830	522	85.9	81.6-90.2	87	14.1	09.8-18.4
65+	1062	403,247	874	80.1	76.2-84.0	188	19.9	16.0-23.8
H.S. or G.E.D.	742	451,614	548	61.6	53.2-70.0	194	38.4	30.0-46.8
Some Post-H.S.	940	663,506	754	70.4	62.6-78.2	186	29.6	21.8-37.4
College Graduate	895	724,442	749	78.0	73.5-82.5	146	22.0	17.5-26.5
$15,000- 24,999	453	261,167	325	59.9	51.3-68.5	128	40.1	31.5-48.7
$25,000- 34,999	312	172,222	251	76.7	68.5-84.9	61	23.3	15.1-31.5
$50,000- 74,999	389	291,345	318	74.8	67.5-82.1	71	25.2	17.9-32.5
$75,000+	501	552,948	423	75.1	66.7-83.5	78	24.9	16.5-33.3

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
              Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4298	3,863,267	3019	72.6	69.9-75.3	1279	27.4	24.7-30.1
Male	1664	1,911,889	1158	70.7	66.4-75.0	506	29.3	25.0-33.6
Female	2634	1,951,378	1861	74.4	71.3-77.5	773	25.6	22.5-28.7
White/Non-Hisp	3258	2,768,446	2358	74.4	71.5-77.3	900	25.6	22.7-28.5
Oth. Race/Non-Hisp.	247	184,857	159	64.1	54.7-73.5	88	35.9	26.5-45.3
Hispanic	642	759,365	405	70.3	62.5-78.1	237	29.7	21.9-37.5
25-34	356	811,031	261	77.5	70.6-84.4	95	22.5	15.6-29.4
35-44	521	703,053	370	69.8	63.5-76.1	151	30.2	23.9-36.5
45-54	767	706,367	567	74.7	70.0-79.4	200	25.3	20.6-30.0
55-64	939	520,341	666	69.4	64.5-74.3	273	30.6	25.7-35.5
65+	1572	668,771	1054	67.8	64.3-71.3	518	32.2	28.7-35.7
H.S. or G.E.D.	1078	936,950	690	64.2	57.9-70.5	388	35.8	29.5-42.1
Some Post-H.S.	1335	1,138,985	968	73.8	68.5-79.1	367	26.2	20.9-31.5
College Graduate	1478	1,432,806	1119	79.4	76.3-82.5	359	20.6	17.5-23.7
$15,000- 24,999	689	504,797	458	69.1	62.0-76.2	231	30.9	23.8-38.0
$25,000- 34,999	450	280,407	304	60.6	53.0-68.2	146	39.4	31.8-47.0
$35,000- 49,999	590	499,878	410	67.2	58.4-76.0	180	32.8	24.0-41.6
$50,000- 74,999	619	548,783	467	78.5	73.0-84.0	152	21.5	16.0-27.0
$75,000+	950	1,263,524	722	76.8	71.9-81.7	228	23.2	18.3-28.1

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                     Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1664	1,911,889	1158	70.7	66.4-75.0	506	29.3	25.0-33.6
White/Non-Hisp	1304	1,414,610	927	73.5	68.6-78.4	377	26.5	21.6-31.4
45-54	287	352,003	200	73.7	66.8-80.6	87	26.3	19.4-33.2
55-64	385	240,601	269	68.8	60.8-76.8	116	31.2	23.2-39.2
65+	620	301,764	418	69.4	63.9-74.9	202	30.6	25.1-36.1
H.S. or G.E.D.	397	502,685	254	62.4	52.6-72.2	143	37.6	27.8-47.4
Some Post-H.S.	482	503,099	350	71.3	61.9-80.7	132	28.7	19.3-38.1
College Graduate	634	735,535	462	79.4	74.9-83.9	172	20.6	16.1-25.1
$50,000- 74,999	262	276,040	198	80.2	71.2-89.2	64	19.8	10.8-28.8
$75,000+	467	730,351	346	75.4	68.1-82.7	121	24.6	17.3-31.9

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 6: (DO YOU THINK) FEELING WEAK, LIGHTHEADED, OR FAINT (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP2)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2634	1,951,378	1861	74.4	71.3-77.5	773	25.6	22.5-28.7
White/Non-Hisp	1954	1,353,836	1431	75.4	72.1-78.7	523	24.6	21.3-27.9
Hispanic	426	415,891	260	73.6	64.6-82.6	166	26.4	17.4-35.4
18-24	50	200,831	33	88.8	79.2-98.4	17	11.2	01.6-20.8
25-34	236	391,978	176	78.9	71.5-86.3	60	21.1	13.7-28.5
35-44	338	344,331	235	71.7	64.8-78.6	103	28.3	21.4-35.2
45-54	480	354,364	367	75.6	69.5-81.7	113	24.4	18.3-30.5
55-64	554	279,741	397	69.9	64.0-75.8	157	30.1	24.2-36.0
65+	952	367,007	636	66.5	62.0-71.0	316	33.5	29.0-38.0
H.S. or G.E.D.	681	434,265	436	66.2	59.1-73.3	245	33.8	26.7-40.9
Some Post-H.S.	853	635,886	618	75.8	70.5-81.1	235	24.2	18.9-29.5
College Graduate	844	697,272	657	79.3	75.4-83.2	187	20.7	16.8-24.6
$15,000- 24,999	445	261,242	297	67.3	59.7-74.9	148	32.7	25.1-40.3
$25,000- 34,999	289	161,329	204	66.0	56.6-75.4	85	34.0	24.6-43.4
$35,000- 49,999	354	243,474	251	78.9	71.8-86.0	103	21.1	14.0-28.2
$50,000- 74,999	357	272,744	269	76.8	70.3-83.3	88	23.2	16.7-29.7
$75,000+	483	533,174	376	78.7	73.2-84.2	107	21.3	15.8-26.8

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                        Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 7: (DO YOU THINK) CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP3)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4996	4,452,349	4746	95.4	94.2-96.6	250	4.6	03.4-05.8
Male	1882	2,193,963	1769	94.5	92.3-96.7	113	5.5	03.3-07.7
Female	3114	2,258,387	2977	96.3	95.1-97.5	137	3.7	02.5-04.9
White/Non-Hisp	3821	3,194,610	3676	96.6	95.4-97.8	145	3.4	02.2-04.6
Oth. Race/Non-Hisp.	270	209,844	244	92.2	87.3-97.1	26	7.8	02.9-12.7
MultiRacial/Non-Hisp.	53	28,720	52	99.7	99.1-0100	1	0.3	00.0-00.9
Hispanic	734	860,902	667	93.1	89.8-96.4	67	6.9	03.6-10.2
18-24	125	501,316	119	97.4	94.3-0100	6	2.6	00.0-05.7
25-34	402	912,648	386	95.0	90.9-99.1	16	5.0	00.9-09.1
35-44	608	801,298	588	96.3	93.8-98.8	20	3.7	01.2-06.2
45-54	850	806,106	809	95.9	93.9-97.9	41	4.1	02.1-06.1
55-64	1097	614,765	1067	97.0	94.1-99.9	30	3.0	00.1-05.9
65+	1877	790,280	1745	92.1	90.3-93.9	132	7.9	06.1-09.7
Less Than H.S.	457	378,365	388	86.5	79.2-93.8	69	13.5	06.2-20.8
H.S. or G.E.D.	1273	1,134,453	1189	92.9	89.4-96.4	84	7.1	03.6-10.6
Some Post-H.S.	1552	1,291,423	1499	97.2	95.8-98.6	53	2.8	01.4-04.2
College Graduate	1697	1,636,546	1654	97.8	96.8-98.8	43	2.2	01.2-03.2
Less than $15,000	529	383,864	473	88.5	81.6-95.4	56	11.5	04.6-18.4
$15,000- 24,999	803	586,231	753	92.8	88.9-96.7	50	7.2	03.3-11.1
$25,000- 34,999	529	314,988	493	93.0	89.5-96.5	36	7.0	03.5-10.5
$35,000- 49,999	697	621,233	673	97.0	94.5-99.5	24	3.0	00.5-05.5
$50,000- 74,999	716	639,371	702	99.0	98.4-99.6	14	1.0	00.4-01.6
$75,000+	1069	1,419,053	1047	97.2	94.8-99.6	22	2.8	00.4-05.2

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 8: (DO YOU THINK) CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP3)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1882	2,193,963	1769	94.5	92.3-96.7	113	5.5	03.3-07.7
White/Non-Hisp	1482	1,600,065	1406	95.9	93.7-98.1	76	4.1	01.9-06.3
Oth. Race/Non-Hisp.	89	105,272	84	95.8	90.5-0100	5	4.2	00.0-09.5
Hispanic	242	398,298	218	91.4	85.1-97.7	24	8.6	02.3-14.9
18-24	67	277,235	63	96.1	90.6-0100	4	3.9	00.0-09.4
25-34	132	464,132	127	94.3	87.2-0100	5	5.7	00.0-12.8
35-44	209	410,415	203	96.5	92.4-0100	6	3.5	00.0-07.6
45-54	308	395,851	295	95.6	92.5-98.7	13	4.4	01.3-07.5
55-64	437	282,406	422	95.0	89.1-0100	15	5.0	00.0-10.9
65+	717	350,754	647	89.5	86.4-92.6	70	10.5	07.4-13.6
H.S. or G.E.D.	455	606,720	419	91.3	85.4-97.2	36	8.7	02.8-14.6
Some Post-H.S.	534	574,827	511	97.2	94.8-99.6	23	2.8	00.4-05.2
College Graduate	720	834,697	697	97.7	96.3-99.1	23	2.3	00.9-03.7
$15,000- 24,999	272	279,889	245	88.5	80.7-96.3	27	11.5	03.7-19.3
$25,000- 34,999	186	129,747	170	91.4	85.3-97.5	16	8.6	02.5-14.7
$35,000- 49,999	271	320,422	262	96.3	91.6-0100	9	3.7	00.0-08.4
$50,000- 74,999	297	326,997	287	98.7	97.5-99.9	10	1.3	00.1-02.5
$75,000+	517	803,877	507	96.9	93.0-0100	10	3.1	00.0-07.0

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
     Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

                                                                                                March 18, 2010

TABLE 9: (DO YOU THINK) CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP3)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	3114	2,258,387	2977	96.3	95.1-97.5	137	3.7	02.5-04.9
White/Non-Hisp	2339	1,594,544	2270	97.2	95.8-98.6	69	2.8	01.4-04.2
Oth. Race/Non-Hisp.	181	104,572	160	88.6	80.8-96.4	21	11.4	03.6-19.2
Hispanic	492	462,604	449	94.5	91.4-97.6	43	5.5	02.4-08.6
18-24	58	224,081	56	99.1	97.5-0100	2	0.9	00.0-02.5
25-34	270	448,516	259	95.8	91.9-99.7	11	4.2	00.3-08.1
35-44	399	390,882	385	96.0	92.9-99.1	14	4.0	00.9-07.1
45-54	542	410,255	514	96.2	94.0-98.4	28	3.8	01.6-06.0
55-64	660	332,359	645	98.6	97.2-0100	15	1.4	00.0-02.8
65+	1160	439,525	1098	94.2	92.0-96.4	62	5.8	03.6-08.0
Less Than H.S.	290	204,237	251	90.2	82.9-97.5	39	9.8	02.5-17.1
H.S. or G.E.D.	818	527,733	770	94.8	91.7-97.9	48	5.2	02.1-08.3
Some Post-H.S.	1018	716,596	988	97.1	95.5-98.7	30	2.9	01.3-04.5
College Graduate	977	801,849	957	98.0	96.8-99.2	20	2.0	00.8-03.2
Less than $15,000	367	230,579	333	90.2	82.2-98.2	34	9.8	01.8-17.8
$15,000- 24,999	531	306,342	508	96.7	94.5-98.9	23	3.3	01.1-05.5
$25,000- 34,999	343	185,241	323	94.1	89.8-98.4	20	5.9	01.6-10.2
$35,000- 49,999	426	300,811	411	97.6	95.6-99.6	15	2.4	00.4-04.4
$50,000- 74,999	419	312,373	415	99.4	98.6-0100	4	0.6	00.0-01.4
$75,000+	552	615,176	540	97.6	95.8-99.4	12	2.4	00.6-04.2

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	3801	3,423,972	1537	42.3	39.0-45.6	2264	57.7	54.4-61.0
Male	1454	1,691,551	594	40.9	36.0-45.8	860	59.1	54.2-64.0
Female	2347	1,732,421	943	43.7	39.4-48.0	1404	56.3	52.0-60.6
White/Non-Hisp	2894	2,448,183	1080	37.5	34.0-41.0	1814	62.5	59.0-66.0
Hispanic	557	653,033	296	61.1	52.7-69.5	261	38.9	30.5-47.3
25-34	301	702,444	136	43.1	34.1-52.1	165	56.9	47.9-65.9
35-44	458	613,371	204	41.3	34.4-48.2	254	58.7	51.8-65.6
45-54	664	617,431	268	43.6	37.5-49.7	396	56.4	50.3-62.5
55-64	863	485,511	354	39.4	34.5-44.3	509	60.6	55.7-65.5
65+	1388	607,007	511	35.7	31.8-39.6	877	64.3	60.4-68.2
H.S. or G.E.D.	928	840,421	383	44.7	37.1-52.3	545	55.3	47.7-62.9
Some Post-H.S.	1195	1,059,634	515	44.9	38.6-51.2	680	55.1	48.8-61.4
College Graduate	1322	1,246,605	479	37.5	33.0-42.0	843	62.5	58.0-67.0
$15,000- 24,999	616	455,813	253	44.0	35.8-52.2	363	56.0	47.8-64.2
$25,000- 34,999	413	261,097	172	42.6	34.2-51.0	241	57.4	49.0-65.8
$35,000- 49,999	534	457,517	228	45.1	35.7-54.5	306	54.9	45.5-64.3
$50,000- 74,999	552	470,918	207	36.2	28.9-43.5	345	63.8	56.5-71.1
$75,000+	812	1,109,202	312	40.4	34.1-46.7	500	59.6	53.3-65.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 11: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A HEART ATTACK)? (HASYMP4)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	RESPONDENT NUMBER WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)
Male	1454	1,691,551	594	40.9	36.0-45.8	860	59.1	54.2-64.0
White/Non-Hisp	1145	1,233,253	432	37.1	31.8-42.4	713	62.9	57.6-68.2
45-54	232	295,792	97	49.3	39.9-58.7	135	50.7	41.3-60.1
55-64	348	214,472	147	43.8	36.2-51.4	201	56.2	48.6-63.8
65+	554	283,091	207	38.4	31.9-44.9	347	61.6	55.1-68.1
Some Post-H.S.	414	473,450	182	39.8	30.6-49.0	232	60.2	51.0-69.4
College Graduate	562	623,957	211	41.6	34.2-49.0	351	58.4	51.0-65.8
$75,000+	387	623,783	156	40.4	31.8-49.0	231	59.6	51.0-68.2

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
         Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2347	1,732,421	943	43.7	39.4-48.0	1404	56.3	52.0-60.6
White/Non-Hisp	1749	1,214,930	648	38.0	33.1-42.9	1101	62.0	57.1-66.9
Hispanic	369	344,049	194	63.0	53.2-72.8	175	37.0	27.2-46.8
25-34	203	346,244	96	48.1	38.3-57.9	107	51.9	42.1-61.7
35-44	298	298,181	129	40.3	32.1-48.5	169	59.7	51.5-67.9
45-54	432	321,638	171	38.4	31.1-45.7	261	61.6	54.3-68.9
55-64	515	271,039	207	36.0	29.7-42.3	308	64.0	57.7-70.3
65+	834	323,916	304	33.3	28.6-38.0	530	66.7	62.0-71.4
Some Post-H.S.	781	586,184	333	49.0	41.2-56.8	448	51.0	43.2-58.8
College Graduate	760	622,649	268	33.4	28.3-38.5	492	66.6	61.5-71.7
$15,000- 24,999	401	228,665	170	48.5	39.5-57.5	231	51.5	42.5-60.5
$50,000- 74,999	318	237,927	109	32.9	25.1-40.7	209	67.1	59.3-74.9
$75,000+	425	485,418	156	40.3	31.1-49.5	269	59.7	50.5-68.9

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                   Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 13: (DO YOU THINK) PAIN OR DISCOMFORT IN THE ARMS OR SHOULDER (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP5)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4882	4,326,918	4483	89.8	87.1-92.5	399	10.2	07.5-12.9
Male	1841	2,126,032	1660	89.8	86.9-92.7	181	10.2	07.3-13.1
Female	3041	2,200,886	2823	89.8	85.5-94.1	218	10.2	05.9-14.5
White/Non-Hisp	3754	3,142,576	3539	94.2	92.6-95.8	215	5.8	04.2-07.4
MultiRacial/Non-Hisp.	54	26,245	53	96.2	88.8-0100	1	3.8	00.0-11.2
25-34	388	885,377	357	91.4	86.7-96.1	31	8.6	03.9-13.3
35-44	588	779,936	541	90.5	86.8-94.2	47	9.5	05.8-13.2
45-54	835	781,654	785	95.7	93.9-97.5	50	4.3	02.5-06.1
55-64	1079	613,868	1022	93.7	90.6-96.8	57	6.3	03.2-09.4
65+	1836	760,564	1645	89.4	87.2-91.6	191	10.6	08.4-12.8
H.S. or G.E.D.	1226	1,059,097	1091	88.1	84.4-91.8	135	11.9	08.2-15.6
Some Post-H.S.	1534	1,274,626	1448	90.5	85.6-95.4	86	9.5	04.6-14.4
College Graduate	1671	1,603,721	1599	96.2	95.0-97.4	72	3.8	02.6-05.0
$15,000- 24,999	775	558,287	686	84.4	78.1-90.7	89	15.6	09.3-21.9
$25,000- 34,999	514	305,933	457	89.0	84.9-93.1	57	11.0	06.9-15.1
$35,000- 49,999	686	577,039	642	87.3	78.7-95.9	44	12.7	04.1-21.3
$50,000- 74,999	707	630,396	691	97.0	94.5-99.5	16	3.0	00.5-05.5
$75,000+	1055	1,391,686	1016	96.9	95.5-98.3	39	3.1	01.7-04.5

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1841	2,126,032	1660	89.8	86.9-92.7	181	10.2	07.3-13.1
White/Non-Hisp	1456	1,573,305	1339	92.5	89.8-95.2	117	7.5	04.8-10.2
Hispanic	223	360,690	179	83.0	74.0-92.0	44	17.0	08.0-26.0
25-34	126	457,966	118	92.0	84.6-99.4	8	8.0	00.6-15.4
35-44	201	390,835	186	92.1	86.6-97.6	15	7.9	02.4-13.4
45-54	304	383,488	282	94.3	91.2-97.4	22	5.7	02.6-08.8
55-64	430	280,818	401	91.0	84.7-97.3	29	9.0	02.7-15.3
65+	704	341,512	605	86.1	82.4-89.8	99	13.9	10.2-17.6
H.S. or G.E.D.	429	554,586	373	88.4	82.7-94.1	56	11.6	05.9-17.3
Some Post-H.S.	529	568,558	493	87.1	79.3-94.9	36	12.9	05.1-20.7
College Graduate	712	813,955	666	95.7	94.1-97.3	46	4.3	02.7-05.9
$25,000- 34,999	181	124,266	150	83.8	76.4-91.2	31	16.2	08.8-23.6
$50,000- 74,999	295	325,673	281	94.6	89.5-99.7	14	5.4	00.3-10.5
$75,000+	510	777,458	489	97.6	96.2-99.0	21	2.4	01.0-03.8

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 15: (DO YOU THINK) PAIN OR DISCOMFORT IN THE ARMS OR SHOULDER (ARE SYMPTOMS OF A HEART ATTACK)? (HASYMP5)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	3041	2,200,886	2823	89.8	85.5-94.1	218	10.2	05.9-14.5
White/Non-Hisp	2298	1,569,271	2200	95.8	94.2-97.4	98	4.2	02.6-05.8
Oth. Race/Non-Hisp.	174	103,754	143	81.5	71.7-91.3	31	18.5	08.7-28.3
25-34	262	427,411	239	90.8	85.3-96.3	23	9.2	03.7-14.7
35-44	387	389,102	355	88.9	84.0-93.8	32	11.1	06.2-16.0
45-54	531	398,166	503	97.0	95.0-99.0	28	3.0	01.0-05.0
55-64	649	333,050	621	96.0	93.6-98.4	28	4.0	01.6-06.4
65+	1132	419,051	1040	92.1	89.6-94.6	92	7.9	05.4-10.4
H.S. or G.E.D.	797	504,511	718	87.8	83.1-92.5	79	12.2	07.5-16.9
Some Post-H.S.	1005	706,069	955	93.2	87.1-99.3	50	6.8	00.7-12.9
College Graduate	959	789,765	933	96.8	95.2-98.4	26	3.2	01.6-04.8
$15,000- 24,999	514	284,515	461	86.2	79.7-92.7	53	13.8	07.3-20.3
$25,000- 34,999	333	181,667	307	92.6	87.7-97.5	26	7.4	02.5-12.3
$50,000- 74,999	412	304,723	410	99.6	99.0-0100	2	0.4	00.0-01.0
$75,000+	545	614,228	527	95.9	93.4-98.4	18	4.1	01.6-06.6

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
         Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4734	4,228,361	4189	90.7	89.1-92.3	545	9.3	07.7-10.9
Male	1805	2,083,199	1555	88.9	86.2-91.6	250	11.1	08.4-13.8
Female	2929	2,145,162	2634	92.3	90.7-93.9	295	7.7	06.1-09.3
White/Non-Hisp	3612	3,032,116	3233	91.4	89.6-93.2	379	8.6	06.8-10.4
Oth. Race/Non-Hisp.	260	208,127	220	90.3	85.4-95.2	40	9.7	04.8-14.6
MultiRacial/Non-Hisp.	56	29,780	54	98.6	96.6-0100	2	1.4	00.0-03.4
Hispanic	694	817,939	588	89.2	84.9-93.5	106	10.8	06.5-15.1
18-24	128	495,121	115	92.5	85.8-99.2	13	7.5	00.8-14.2
25-34	371	854,108	334	89.1	84.2-94.0	37	10.9	06.0-15.8
35-44	569	776,859	516	92.3	89.0-95.6	53	7.7	04.4-11.0
45-54	822	774,486	745	93.6	91.4-95.8	77	6.4	04.2-08.6
55-64	1048	573,842	950	92.1	89.9-94.3	98	7.9	05.7-10.1
65+	1764	731,217	1504	85.6	83.1-88.1	260	14.4	11.9-16.9
Less Than H.S.	434	376,559	342	84.9	77.6-92.2	92	15.1	07.8-22.4
H.S. or G.E.D.	1196	1,059,124	1022	87.3	83.2-91.4	174	12.7	08.6-16.8
Some Post-H.S.	1480	1,246,047	1329	91.6	88.9-94.3	151	8.4	05.7-11.1
College Graduate	1609	1,535,362	1482	93.6	91.8-95.4	127	6.4	04.6-08.2
Less than $15,000	503	378,828	407	85.2	77.8-92.6	96	14.8	07.4-22.2
$15,000- 24,999	763	555,643	663	88.9	83.6-94.2	100	11.1	05.8-16.4
$25,000- 34,999	499	295,592	441	89.2	85.1-93.3	58	10.8	06.7-14.9
$35,000- 49,999	665	567,268	581	89.1	84.0-94.2	84	10.9	05.8-16.0
$50,000- 74,999	679	616,195	629	91.4	86.9-95.9	50	8.6	04.1-13.1
$75,000+	1022	1,350,529	946	94.5	92.7-96.3	76	5.5	03.7-07.3

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 17: (DO YOU THINK) SHORTNESS OF BREATH (IS A SYMPTOM OF A HEART ATTACK)? (HASYMP6)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1805	2,083,199	1555	88.9	86.2-91.6	250	11.1	08.4-13.8
White/Non-Hisp	1414	1,531,243	1225	89.6	86.9-92.3	189	10.4	07.7-13.1
Oth. Race/Non-Hisp.	90	106,928	81	97.2	94.5-99.9	9	2.8	00.1-05.5
Hispanic	233	368,914	197	87.3	79.3-95.3	36	12.7	04.7-20.7
25-34	120	438,950	106	88.3	80.5-96.1	14	11.7	03.9-19.5
35-44	200	398,061	180	90.6	84.9-96.3	20	9.4	03.7-15.1
45-54	303	383,036	271	93.2	89.7-96.7	32	6.8	03.3-10.3
55-64	420	256,977	365	89.2	85.5-92.9	55	10.8	07.1-14.5
65+	684	326,587	562	82.0	77.5-86.5	122	18.0	13.5-22.5
H.S. or G.E.D.	430	563,794	349	85.4	78.9-91.9	81	14.6	08.1-21.1
Some Post-H.S.	523	562,708	458	90.4	85.3-95.5	65	9.6	04.5-14.7
College Graduate	680	777,930	607	91.3	88.4-94.2	73	8.7	05.8-11.6
$25,000- 34,999	175	120,548	149	87.9	81.4-94.4	26	12.1	05.6-18.6
$35,000- 49,999	264	292,604	218	84.9	75.7-94.1	46	15.1	05.9-24.3
$50,000- 74,999	286	318,382	257	88.3	80.5-96.1	29	11.7	03.9-19.5
$75,000+	490	758,687	446	93.8	91.1-96.5	44	6.2	03.5-08.9

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 18: (DO YOU THINK) SHORTNESS OF BREATH (IS A SYMPTOM OF A HEART ATTACK)? (HASYMP6)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2929	2,145,162	2634	92.3	90.7-93.9	295	7.7	06.1-09.3
White/Non-Hisp	2198	1,500,873	2008	93.1	91.1-95.1	190	6.9	04.9-08.9
Oth. Race/Non-Hisp.	170	101,200	139	83.0	74.0-92.0	31	17.0	08.0-26.0
Hispanic	461	449,024	391	90.8	86.5-95.1	70	9.2	04.9-13.5
18-24	60	226,080	52	95.2	90.3-0100	8	4.8	00.0-09.7
25-34	251	415,159	228	90.1	84.4-95.8	23	9.9	04.2-15.6
35-44	369	378,798	336	94.1	91.0-97.2	33	5.9	02.8-09.0
45-54	519	391,450	474	94.0	91.3-96.7	45	6.0	03.3-08.7
55-64	628	316,864	585	94.4	91.7-97.1	43	5.6	02.9-08.3
65+	1080	404,630	942	88.5	85.8-91.2	138	11.5	08.8-14.2
Less Than H.S.	267	201,269	205	84.6	75.2-94.0	62	15.4	06.0-24.8
H.S. or G.E.D.	766	495,329	673	89.4	85.1-93.7	93	10.6	06.3-14.9
Some Post-H.S.	957	683,339	871	92.6	89.7-95.5	86	7.4	04.5-10.3
College Graduate	929	757,432	875	96.0	94.4-97.6	54	4.0	02.4-05.6
Less than $15,000	340	223,852	276	86.1	76.7-95.5	64	13.9	04.5-23.3
$15,000- 24,999	506	295,580	447	92.5	89.0-96.0	59	7.5	04.0-11.0
$25,000- 34,999	324	175,043	292	90.1	84.8-95.4	32	9.9	04.6-15.2
$35,000- 49,999	401	274,663	363	93.6	90.5-96.7	38	6.4	03.3-09.5
$50,000- 74,999	393	297,812	372	94.7	91.4-98.0	21	5.3	02.0-08.6
$75,000+	532	591,842	500	95.4	93.0-97.8	32	4.6	02.2-07.0

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

TABLE 19: WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE?   FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
TOTAL	4759	4,162,489	4587	95.8	94.6-97.0	172	4.2	03.0-05.4
Male	1771	2,070,983	1678	94.3	91.9-96.7	93	5.7	03.3-08.1
Female	2988	2,091,506	2909	97.3	96.3-98.3	79	2.7	01.7-03.7
White/Non-Hisp	3705	3,076,052	3624	97.8	96.8-98.8	81	2.2	01.2-03.2
Black or Afr. Am./Non-Hisp	50	95,621	48	98.9	96.9-0100	2	1.1	00.0-03.1
Oth. Race/Non-Hisp.	255	200,496	231	86.9	77.9-95.9	24	13.1	04.1-22.1
MultiRacial/Non-Hisp.	54	28,611	54	100.0	0100-0100			
Hispanic	634	712,230	574	89.3	84.2-94.4	60	10.7	05.6-15.8
18-24	113	410,673	104	94.0	87.9-0100	9	6.0	00.0-12.1
25-34	372	852,034	350	95.1	92.2-98.0	22	4.9	02.0-07.8
35-44	563	745,194	541	93.1	89.0-97.2	22	6.9	02.8-11.0
45-54	816	770,467	796	98.7	97.9-99.5	20	1.3	00.5-02.1
55-64	1072	605,293	1050	97.2	94.3-0100	22	2.8	00.0-05.7
65+	1790	754,896	1716	96.1	94.7-97.5	74	3.9	02.5-05.3
Less Than H.S.	382	292,782	337	85.8	77.0-94.6	45	14.2	05.4-23.0
H.S. or G.E.D.	1186	986,186	1116	92.9	90.0-95.8	70	7.1	04.2-10.0
Some Post-H.S.	1512	1,263,327	1490	98.2	96.2-0100	22	1.8	00.0-03.8
College Graduate	1662	1,608,631	1629	97.7	96.5-98.9	33	2.3	01.1-03.5
Less than $15,000	483	323,548	444	90.9	84.8-97.0	39	9.1	03.0-15.2
$15,000- 24,999	735	523,944	692	89.5	84.2-94.8	43	10.5	05.2-15.8
$25,000- 34,999	507	297,871	482	94.2	90.3-98.1	25	5.8	01.9-09.7
$35,000- 49,999	680	563,747	661	92.5	86.8-98.2	19	7.5	01.8-13.2
$50,000- 74,999	696	604,305	688	98.9	97.7-0100	8	1.1	00.0-02.3
$75,000+	1050	1,400,736	1039	99.4	98.8-0100	11	0.6	00.0-01.2

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 20: WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE?   FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1771	2,070,983	1678	94.3	91.9-96.7	93	5.7	03.3-08.1
White/Non-Hisp	1416	1,546,452	1363	96.5	94.5-98.5	53	3.5	01.5-05.5
Hispanic	208	344,501	185	87.2	78.4-96.0	23	12.8	04.0-21.6
18-24	59	237,735	53	90.9	80.7-0100	6	9.1	00.0-19.3
25-34	122	458,402	115	96.2	92.3-0100	7	3.8	00.0-07.7
35-44	192	377,432	182	90.1	82.5-97.7	10	9.9	02.3-17.5
45-54	296	382,188	284	98.0	96.6-99.4	12	2.0	00.6-03.4
55-64	420	273,804	406	94.6	88.5-0100	14	5.4	00.0-11.5
65+	672	329,064	628	94.0	91.5-96.5	44	6.0	03.5-08.5
H.S. or G.E.D.	406	516,601	368	89.6	84.1-95.1	38	10.4	04.9-15.9
Some Post-H.S.	514	567,061	502	97.1	93.2-0100	12	2.9	00.0-06.8
College Graduate	697	819,229	674	97.0	94.8-99.2	23	3.0	00.8-05.2
$15,000- 24,999	235	250,144	212	86.1	76.7-95.5	23	13.9	04.5-23.3
$25,000- 34,999	177	123,028	159	87.6	78.6-96.6	18	12.4	03.4-21.4
$50,000- 74,999	284	299,324	278	98.4	96.4-0100	6	1.6	00.0-03.6
$75,000+	509	793,595	502	99.3	98.3-0100	7	0.7	00.0-01.7

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 21: WHICH OF THE FOLLOWING DO YOU THINK IS A SYMPTOM OF A STROKE?   FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE". (DO YOU THINK) SUDDEN CONFUSION OR TROUBLE SPEAKING (ARE SYMPTOMS OF A STROKE?) (STRSYMP1)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

| DEMOGRAPHIC | RESPONDENT NUMBER | | | Yes | | | No | |
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	2,091,506	2909	97.3	96.3-98.3	79	2.7	01.7-03.7
White/Non-Hisp	2289	1,529,600	2261	99.2	98.8-99.6	28	0.8	00.4-01.2
Oth. Race/Non-Hisp.	173	100,969	161	91.6	85.3-97.9	12	8.4	02.1-14.7
Hispanic	426	367,730	389	91.4	86.5-96.3	37	8.6	03.7-13.5
18-24	54	172,939	51	98.2	95.7-0100	3	1.8	00.0-04.3
25-34	250	393,632	235	93.9	89.4-98.4	15	6.1	01.6-10.6
35-44	371	367,762	359	96.2	93.5-98.9	12	3.8	01.1-06.5
45-54	520	388,278	512	99.4	98.8-0100	8	0.6	00.0-01.2
55-64	652	331,489	644	99.3	98.5-0100	8	0.7	00.0-01.5
65+	1118	425,832	1088	97.8	96.4-99.2	30	2.2	00.8-03.6
H.S. or G.E.D.	780	469,586	748	96.5	94.5-98.5	32	3.5	01.5-05.5
Some Post-H.S.	998	696,266	988	99.1	98.1-0100	10	0.9	00.0-01.9
College Graduate	965	789,401	955	98.5	97.3-99.7	10	1.5	00.3-02.7
Less than $15,000	335	166,353	312	92.1	86.8-97.4	23	7.9	02.6-13.2
$15,000- 24,999	500	273,800	480	92.6	86.7-98.5	20	7.4	01.5-13.3
$25,000- 34,999	330	174,843	323	98.8	97.4-0100	7	1.2	00.0-02.6
$35,000- 49,999	424	282,237	417	97.0	93.9-0100	7	3.0	00.0-06.1
$50,000- 74,999	412	304,981	410	99.5	98.5-0100	2	0.5	00.0-01.5
$75,000+	541	607,141	537	99.4	98.8-0100	4	0.6	00.0-01.2

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 22: (DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4948	4,425,330	4799	97.0	95.8-98.2	149	3.0	01.8-04.2
Male	1864	2,175,206	1796	96.5	94.3-98.7	68	3.5	01.3-05.7
Female	3084	2,250,124	3003	97.4	96.2-98.6	81	2.6	01.4-03.8
White/Non-Hisp	3802	3,166,456	3732	98.6	97.8-99.4	70	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	56	106,912	56	100.0	0100-0100			
Oth. Race/Non-Hisp.	274	216,196	249	94.4	91.1-97.7	25	5.6	02.3-08.9
MultiRacial/Non-Hisp.	55	28,678	55	100.0	0100-0100			
Hispanic	700	856,665	650	91.4	85.9-96.9	50	8.6	03.1-14.1
18-24	123	494,774	118	97.1	93.0-0100	5	2.9	00.0-07.0
25-34	396	910,441	382	95.7	91.2-0100	14	4.3	00.0-08.8
35-44	594	799,239	574	97.3	95.3-99.3	20	2.7	00.7-04.7
45-54	841	796,831	818	98.0	96.8-99.2	23	2.0	00.8-03.2
55-64	1093	618,748	1076	97.8	95.1-0100	17	2.2	00.0-04.9
65+	1865	780,060	1799	96.4	95.0-97.8	66	3.6	02.2-05.0
Less Than H.S.	434	372,931	387	91.7	86.2-97.2	47	8.3	02.8-13.8
H.S. or G.E.D.	1261	1,123,086	1193	92.5	88.4-96.6	68	7.5	03.4-11.6
Some Post-H.S.	1550	1,295,813	1534	99.4	98.8-0100	16	0.6	00.0-01.2
College Graduate	1686	1,621,937	1668	99.3	98.9-99.7	18	0.7	00.3-01.1
Less than $15,000	520	393,050	487	89.6	79.6-99.6	33	10.4	00.4-20.4
$15,000- 24,999	795	574,858	758	94.4	90.7-98.1	37	5.6	01.9-09.3
$25,000- 34,999	520	306,221	501	96.0	93.3-98.7	19	4.0	01.3-06.7
$35,000- 49,999	697	614,121	682	97.7	96.1-99.3	15	2.3	00.7-03.9
$50,000- 74,999	718	638,569	710	99.4	98.8-0100	8	0.6	00.0-01.2
$75,000+	1061	1,420,570	1052	99.7	99.5-99.9	9	0.3	00.1-00.5

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 23: (DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1864	2,175,206	1796	96.5	94.3-98.7	68	3.5	01.3-05.7
White/Non-Hisp	1471	1,585,478	1430	98.1	97.1-99.1	41	1.9	00.9-02.9
Oth. Race/Non-Hisp.	90	106,190	82	97.1	94.4-99.8	8	2.9	00.2-05.6
18-24	64	269,644	63	99.6	98.8-0100	1	0.4	00.0-01.2
25-34	130	466,529	125	94.6	86.6-0100	5	5.4	00.0-13.4
35-44	204	406,048	195	97.5	94.6-0100	9	2.5	00.0-05.4
45-54	313	392,873	301	97.0	94.6-99.4	12	3.0	00.6-05.4
55-64	437	284,209	427	95.8	89.9-0100	10	4.2	00.0-10.1
65+	705	343,435	674	95.4	93.0-97.8	31	4.6	02.2-07.0
Less Than H.S.	163	167,371	146	90.4	80.4-0100	17	9.6	00.0-19.6
H.S. or G.E.D.	444	594,041	413	92.0	85.3-98.7	31	8.0	01.3-14.7
Some Post-H.S.	537	580,274	529	99.1	98.1-0100	8	0.9	00.0-01.9
College Graduate	714	829,929	702	99.1	98.5-99.7	12	0.9	00.3-01.5
$15,000- 24,999	268	270,641	250	91.3	83.9-98.7	18	8.7	01.3-16.1
$25,000- 34,999	181	122,401	171	92.3	86.0-98.6	10	7.7	01.4-14.0
$35,000- 49,999	274	320,986	264	97.1	94.6-99.6	10	2.9	00.4-05.4
$50,000- 74,999	299	328,635	293	99.0	97.8-0100	6	1.0	00.0-02.2
$75,000+	514	803,425	509	99.8	99.6-0100	5	0.2	00.0-00.4

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                     Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

TABLE 24: (DO YOU THINK) SUDDEN NUMBNESS OR WEAKNESS OF FACE, ARM, OR LEG, ESPECIALLY ON ONE SIDE (ARE SYMPTOMS OF A STROKE?) (STRSYMP2)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	3084	2,250,124	3003	97.4	96.2-98.6	81	2.6	01.4-03.8
White/Non-Hisp	2331	1,580,978	2302	99.0	98.0-0100	29	1.0	00.0-02.0
Oth. Race/Non-Hisp.	184	110,005	167	91.8	86.1-97.5	17	8.2	02.5-13.9
Hispanic	468	463,484	435	93.2	88.3-98.1	33	6.8	01.9-11.7
18-24	59	225,130	55	94.1	85.1-0100	4	5.9	00.0-14.9
25-34	266	443,912	257	96.9	93.4-0100	9	3.1	00.0-06.6
35-44	390	393,191	379	97.2	94.8-99.6	11	2.8	00.4-05.2
45-54	528	403,958	517	98.8	97.6-0100	11	1.2	00.0-02.4
55-64	656	334,539	649	99.6	99.2-0100	7	0.4	00.0-00.8
65+	1160	436,625	1125	97.2	95.6-98.8	35	2.8	01.2-04.4
Less Than H.S.	271	205,560	241	92.8	87.1-98.5	30	7.2	01.5-12.9
H.S. or G.E.D.	817	529,045	780	93.1	88.4-97.8	37	6.9	02.2-11.6
Some Post-H.S.	1013	715,538	1005	99.7	99.5-99.9	8	0.3	00.1-00.5
College Graduate	972	792,008	966	99.4	98.8-0100	6	0.6	00.0-01.2
Less than $15,000	359	232,675	338	92.5	85.1-99.9	21	7.5	00.1-14.9
$15,000- 24,999	527	304,217	508	97.2	95.2-99.2	19	2.8	00.8-04.8
$25,000- 34,999	339	183,819	330	98.4	97.0-99.8	9	1.6	00.2-03.0
$35,000- 49,999	423	293,135	418	98.5	96.7-0100	5	1.5	00.0-03.3
$50,000- 74,999	419	309,934	417	99.8	99.6-0100	2	0.2	00.0-00.4
$75,000+	547	617,145	543	99.6	99.0-0100	4	0.4	00.0-01.0

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 25: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	3962	3,574,493	3490	88.9	86.7-91.1	472	11.1	08.9-13.3
Male	1514	1,811,858	1317	87.4	83.7-91.1	197	12.6	08.9-16.3
Female	2448	1,762,635	2173	90.4	88.4-92.4	275	9.6	07.6-11.6
White/Non-Hisp	3068	2,646,308	2770	91.2	89.0-93.4	298	8.8	06.6-11.0
Hispanic	538	611,199	426	84.1	78.0-90.2	112	15.9	09.8-22.0
25-34	315	742,519	285	89.8	83.9-95.7	30	10.2	04.3-16.1
35-44	484	653,899	430	88.2	83.5-92.9	54	11.8	07.1-16.5
45-54	706	644,374	635	92.5	90.0-95.0	71	7.5	05.0-10.0
55-64	909	512,960	820	90.7	88.0-93.4	89	9.3	06.6-12.0
65+	1421	610,720	1212	85.1	82.2-88.0	209	14.9	12.0-17.8
Less Than H.S.	311	227,463	216	83.9	78.0-89.8	95	16.1	10.2-22.0
H.S. or G.E.D.	964	863,705	789	80.7	74.8-86.6	175	19.3	13.4-25.2
Some Post-H.S.	1246	1,100,115	1138	90.5	86.4-94.6	108	9.5	05.4-13.6
College Graduate	1428	1,372,759	1335	93.6	91.6-95.6	93	6.4	04.4-08.4
Less than $15,000	390	256,245	305	82.9	74.7-91.1	85	17.1	08.9-25.3
$15,000- 24,999	602	434,383	507	82.9	76.4-89.4	95	17.1	10.6-23.6
$25,000- 34,999	411	240,053	353	86.0	80.7-91.3	58	14.0	08.7-19.3
$35,000- 49,999	565	508,091	508	86.9	79.6-94.2	57	13.1	05.8-20.4
$50,000- 74,999	599	532,269	550	91.0	86.9-95.1	49	9.0	04.9-13.1
$75,000+	905	1,228,841	852	93.7	90.6-96.8	53	6.3	03.2-09.4

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 26: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1514	1,811,858	1317	87.4	83.7-91.1	197	12.6	08.9-16.3
White/Non-Hisp	1210	1,351,389	1070	89.5	85.8-93.2	140	10.5	06.8-14.2
25-34	104	400,885	93	87.5	77.5-97.5	11	12.5	02.5-22.5
35-44	169	330,268	154	89.0	81.4-96.6	15	11.0	03.4-18.6
45-54	261	322,743	230	91.5	87.4-95.6	31	8.5	04.4-12.6
55-64	361	226,739	315	90.1	86.0-94.2	46	9.9	05.8-14.0
65+	556	285,526	470	84.3	79.8-88.8	86	15.7	11.2-20.2
Less Than H.S.	116	130,815	84	90.8	85.9-95.7	32	9.2	04.3-14.1
H.S. or G.E.D.	347	475,062	273	77.4	68.0-86.8	74	22.6	13.2-32.0
Some Post-H.S.	445	507,137	401	86.7	78.5-94.9	44	13.3	05.1-21.5
College Graduate	602	696,168	556	94.2	91.7-96.7	46	5.8	03.3-08.3
Less than $15,000	122	119,441	93	87.2	78.0-96.4	29	12.8	03.6-22.0
$50,000- 74,999	250	272,962	224	87.9	80.5-95.3	26	12.1	04.7-19.5
$75,000+	439	695,403	416	94.5	89.8-99.2	23	5.5	00.8-10.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 27: (DO YOU THINK) SUDDEN TROUBLE SEEING IN ONE OR BOTH EYES (IS A SYMPTOM OF A STROKE?) (STRSYMP3)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2448	1,762,635	2173	90.4	88.4-92.4	275	9.6	07.6-11.6
White/Non-Hisp	1858	1,294,919	1700	92.9	90.9-94.9	158	7.1	05.1-09.1
Hispanic	357	298,045	282	84.8	78.7-90.9	75	15.2	09.1-21.3
25-34	211	341,634	192	92.5	87.2-97.8	19	7.5	02.2-12.8
35-44	315	323,630	276	87.3	81.8-92.8	39	12.7	07.2-18.2
45-54	445	321,631	405	93.5	90.4-96.6	40	6.5	03.4-09.6
55-64	548	286,222	505	91.2	87.3-95.1	43	8.8	04.9-12.7
65+	865	325,193	742	85.7	82.0-89.4	123	14.3	10.6-18.0
H.S. or G.E.D.	617	388,643	516	84.8	79.3-90.3	101	15.2	09.7-20.7
Some Post-H.S.	801	592,978	737	93.8	91.3-96.3	64	6.2	03.7-08.7
College Graduate	826	676,591	779	92.9	90.2-95.6	47	7.1	04.4-09.8
$15,000- 24,999	407	218,477	351	84.0	77.9-90.1	56	16.0	09.9-22.1
$25,000- 34,999	262	136,605	234	90.3	85.2-95.4	28	9.7	04.6-14.8
$35,000- 49,999	347	252,182	320	94.4	91.5-97.3	27	5.6	02.7-08.5
$50,000- 74,999	349	259,307	326	94.2	90.7-97.7	23	5.8	02.3-09.3
$75,000+	466	533,438	436	92.7	89.2-96.2	30	7.3	03.8-10.8

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                    Rows with less than 50 observations have been suppressed.
      Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	3780	3,507,094	1723	43.0	39.9-46.1	2057	57.0	53.9-60.1
Male	1472	1,793,040	676	42.6	37.7-47.5	796	57.4	52.5-62.3
Female	2308	1,714,053	1047	43.5	39.4-47.6	1261	56.5	52.4-60.6
White/Non-Hisp	2840	2,522,159	1159	37.1	33.6-40.6	1681	62.9	59.4-66.4
Hispanic	574	650,569	348	55.4	46.4-64.4	226	44.6	35.6-53.6
25-34	316	745,456	144	47.5	38.7-56.3	172	52.5	43.7-61.3
35-44	452	616,982	194	42.6	35.3-49.9	258	57.4	50.1-64.7
45-54	691	663,825	302	44.7	38.8-50.6	389	55.3	49.4-61.2
55-64	847	481,553	332	32.7	28.2-37.2	515	67.3	62.8-71.8
65+	1347	578,651	695	50.8	46.7-54.9	652	49.2	45.1-53.3
H.S. or G.E.D.	939	882,167	502	53.1	45.7-60.5	437	46.9	39.5-54.3
Some Post-H.S.	1167	1,040,333	564	44.1	38.0-50.2	603	55.9	49.8-62.0
College Graduate	1324	1,324,658	440	32.1	27.8-36.4	884	67.9	63.6-72.2
$15,000- 24,999	599	444,231	323	50.8	42.2-59.4	276	49.2	40.6-57.8
$25,000- 34,999	401	239,641	210	49.8	41.6-58.0	191	50.2	42.0-58.4
$35,000- 49,999	519	468,807	227	47.9	38.3-57.5	292	52.1	42.5-61.7
$50,000- 74,999	541	509,024	211	41.3	33.7-48.9	330	58.7	51.1-66.3
$75,000+	848	1,197,240	278	32.3	26.8-37.8	570	67.7	62.2-73.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 29: (DO YOU THINK) SUDDEN CHEST PAIN OR DISCOMFORT (ARE SYMPTOMS OF A STROKE?) (STRSYMP4)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1472	1,793,040	676	42.6	37.7-47.5	796	57.4	52.5-62.3
White/Non-Hisp	1136	1,286,375	470	35.3	30.2-40.4	666	64.7	59.6-69.8
45-54	246	317,787	113	47.4	38.0-56.8	133	52.6	43.2-62.0
55-64	343	216,891	138	31.5	24.6-38.4	205	68.5	61.6-75.4
65+	545	266,124	277	49.5	43.0-56.0	268	50.5	44.0-57.0
Some Post-H.S.	425	475,315	208	43.5	33.9-53.1	217	56.5	46.9-66.1
College Graduate	564	681,660	205	33.1	26.2-40.0	359	66.9	60.0-73.8
$75,000+	411	670,901	143	30.9	23.5-38.3	268	69.1	61.7-76.5

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
104 of 119   March 18, 2010

DEMOGRAPHIC GROUPS	RESPONDENT TOTAL	NUMBER WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)
Female	2308	1,714,053	1047	43.5	39.4-47.6	1261	56.5	52.4-60.6
White/Non-Hisp	1704	1,235,785	689	39.0	34.5-43.5	1015	61.0	56.5-65.5
25-34	203	333,518	89	46.9	37.1-56.7	114	53.1	43.3-62.9
35-44	292	289,053	127	37.2	29.2-45.2	165	62.8	54.8-70.8
45-54	445	346,038	189	42.2	34.9-49.5	256	57.8	50.5-65.1
55-64	504	264,662	194	33.7	27.6-39.8	310	66.3	60.2-72.4
65+	802	312,526	418	52.0	46.7-57.3	384	48.0	42.7-53.3
H.S. or G.E.D.	589	385,330	320	57.5	47.5-67.5	269	42.5	32.5-52.5
Some Post-H.S.	742	565,017	356	44.5	36.9-52.1	386	55.5	47.9-63.1
College Graduate	760	642,998	235	31.1	26.0-36.2	525	68.9	63.8-74.0
$15,000- 24,999	391	220,858	214	56.4	47.8-65.0	177	43.6	35.0-52.2
$50,000- 74,999	315	243,012	110	36.7	28.3-45.1	205	63.3	54.9-71.7
$75,000+	437	526,339	135	34.1	26.3-41.9	302	65.9	58.1-73.7

```
                                        NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```
March 18, 2010

TABLE 31: (DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	4632	4,142,590	4309	92.5	90.1-94.9	323	7.5	05.1-09.9
Male	1751	2,039,357	1616	93.4	91.2-95.6	135	6.6	04.4-08.8
Female	2881	2,103,234	2693	91.7	87.4-96.0	188	8.3	04.0-12.6
White/Non-Hisp	3592	3,027,636	3412	95.7	94.3-97.1	180	4.3	02.9-05.7
Oth. Race/Non-Hisp.	254	199,748	218	84.2	76.9-91.5	36	15.8	08.5-23.1
25-34	355	836,611	326	93.1	89.6-96.6	29	6.9	03.4-10.4
35-44	555	752,966	512	92.0	88.1-95.9	43	8.0	04.1-11.9
45-54	798	757,093	753	93.8	90.9-96.7	45	6.2	03.3-09.1
55-64	1041	583,360	993	96.8	95.6-98.0	48	3.2	02.0-04.4
65+	1739	730,724	1600	93.3	91.7-94.9	139	6.7	05.1-08.3
H.S. or G.E.D.	1160	1,029,601	1050	90.1	86.6-93.6	110	9.9	06.4-13.4
Some Post-H.S.	1440	1,215,862	1372	94.7	92.0-97.4	68	5.3	02.6-08.0
College Graduate	1634	1,554,206	1572	96.8	95.4-98.2	62	3.2	01.8-04.6
$15,000- 24,999	732	514,761	658	89.1	84.4-93.8	74	10.9	06.2-15.6
$25,000- 34,999	487	289,604	453	92.7	88.8-96.6	34	7.3	03.4-11.2
$35,000- 49,999	658	583,631	621	91.8	86.3-97.3	37	8.2	02.7-13.7
$50,000- 74,999	662	598,492	642	97.1	95.1-99.1	20	2.9	00.9-04.9
$75,000+	1034	1,358,779	1004	97.9	96.5-99.3	30	2.1	00.7-03.5

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 32: (DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)
Male	1751	2,039,357	1616	93.4	91.2-95.6	135	6.6	04.4-08.8
White/Non-Hisp	1396	1,526,464	1306	94.8	92.6-97.0	90	5.2	03.0-07.4
Oth. Race/Non-Hisp.	83	96,526	70	88.4	78.8-98.0	13	11.6	02.0-21.2
Hispanic	204	339,609	179	90.8	83.9-97.7	25	9.2	02.3-16.1
25-34	114	428,952	107	96.8	94.1-99.5	7	3.2	00.5-05.9
35-44	193	383,794	180	90.9	84.0-97.8	13	9.1	02.2-16.0
45-54	289	374,399	269	93.9	90.2-97.6	20	6.1	02.4-09.8
55-64	421	267,407	395	95.3	93.1-97.5	26	4.7	02.5-06.9
65+	663	321,660	603	92.2	89.5-94.9	60	7.8	05.1-10.5
Less Than H.S.	148	152,020	122	92.6	88.5-96.7	26	7.4	03.3-11.5
H.S. or G.E.D.	406	553,265	359	90.5	85.4-95.6	47	9.5	04.4-14.6
Some Post-H.S.	500	540,977	476	92.8	87.7-97.9	24	7.2	02.1-12.3
College Graduate	691	789,504	654	95.9	93.7-98.1	37	4.1	01.9-06.3
Less than $15,000	150	153,308	128	88.3	78.7-97.9	22	11.7	02.1-21.3
$15,000- 24,999	242	245,522	213	91.4	85.9-96.9	29	8.6	03.1-14.1
$25,000- 34,999	175	119,909	156	89.1	82.4-95.8	19	10.9	04.2-17.6
$50,000- 74,999	274	307,199	264	96.1	92.8-99.4	10	3.9	00.6-07.2
$75,000+	497	756,276	481	97.5	95.3-99.7	16	2.5	00.3-04.7

```
                                    NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                     Rows with less than 50 observations have been suppressed.
        Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 33: (DO YOU THINK) SUDDEN TROUBLE WALKING, DIZZINESS, OR LOSS OF BALANCE (ARE SYMPTOMS OF A STROKE?) (STRSYMP5)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT TOTAL	NUMBER WEIGHTED	Yes N	Yes %	Yes C.I. (95%)	No N	No %	No C.I. (95%)
Female	2881	2,103,234	2693	91.7	87.4-96.0	188	8.3	04.0-12.6
White/Non-Hisp	2196	1,501,172	2106	96.7	95.1-98.3	90	3.3	01.7-04.9
25-34	241	407,659	219	89.3	83.0-95.6	22	10.7	04.4-17.0
35-44	362	369,172	332	93.2	89.7-96.7	30	6.8	03.3-10.3
45-54	509	382,694	484	93.7	89.2-98.2	25	6.3	01.8-10.8
55-64	620	315,953	598	98.1	96.9-99.3	22	1.9	00.7-03.1
65+	1076	409,064	997	94.2	92.2-96.2	79	5.8	03.8-07.8
H.S. or G.E.D.	754	476,336	691	89.7	84.8-94.6	63	10.3	05.4-15.2
Some Post-H.S.	940	674,885	896	96.2	93.8-98.6	44	3.8	01.4-06.2
College Graduate	943	764,702	918	97.8	96.4-99.2	25	2.2	00.8-03.6
$15,000- 24,999	490	269,239	445	87.0	79.7-94.3	45	13.0	05.7-20.3
$25,000- 34,999	312	169,695	297	95.2	90.5-99.9	15	4.8	00.1-09.5
$35,000- 49,999	405	293,010	388	96.8	94.4-99.2	17	3.2	00.8-05.6
$50,000- 74,999	388	291,293	378	98.2	96.6-99.8	10	1.8	00.2-03.4
$75,000+	537	602,503	523	98.4	97.2-99.6	14	1.6	00.4-02.8

```
                                          NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                      Rows with less than 50 observations have been suppressed.
          Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 34: (DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	3877	3,384,870	3045	76.7	74.0-79.4	832	23.3	20.6-26.0
Male	1429	1,641,680	1027	70.8	66.3-75.3	402	29.2	24.7-33.7
Female	2448	1,743,190	2018	82.2	78.9-85.5	430	17.8	14.5-21.1
White/Non-Hisp	2942	2,375,859	2368	79.2	76.3-82.1	574	20.8	17.9-23.7
Hispanic	584	702,091	441	73.9	65.3-82.5	143	26.1	17.5-34.7
25-34	304	675,929	227	75.8	68.5-83.1	77	24.2	16.9-31.5
35-44	459	618,348	349	71.3	64.6-78.0	110	28.7	22.0-35.4
45-54	682	619,113	555	80.1	75.4-84.8	127	19.9	15.2-24.6
55-64	864	479,474	722	85.3	82.0-88.6	142	14.7	11.4-18.0
65+	1440	611,311	1110	78.2	75.1-81.3	330	21.8	18.7-24.9
H.S. or G.E.D.	959	760,125	695	70.4	64.3-76.5	264	29.6	23.5-35.7
Some Post-H.S.	1197	1,033,885	956	75.7	69.6-81.8	241	24.3	18.2-30.4
College Graduate	1349	1,272,249	1148	82.6	79.3-85.9	201	17.4	14.1-20.7
$15,000- 24,999	606	437,398	460	73.8	66.7-80.9	146	26.2	19.1-33.3
$25,000- 34,999	413	256,958	324	78.4	72.1-84.7	89	21.6	15.3-27.9
$50,000- 74,999	548	451,484	455	81.6	75.7-87.5	93	18.4	12.5-24.3
$75,000+	859	1,111,507	704	78.7	73.8-83.6	155	21.3	16.4-26.2

```
                                      NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
                  Rows with less than 50 observations have been suppressed.
       Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'
```

March 18, 2010

TABLE 35: (DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Male	1429	1,641,680	1027	70.8	66.3-75.3	402	29.2	24.7-33.7
White/Non-Hisp	1116	1,190,887	828	72.9	68.0-77.8	288	27.1	22.2-32.0
45-54	237	299,928	174	74.2	66.4-82.0	63	25.8	18.0-33.6
55-64	337	212,301	263	80.2	74.5-85.9	74	19.8	14.1-25.5
65+	543	271,228	382	70.6	64.9-76.3	161	29.4	23.7-35.1
H.S. or G.E.D.	341	415,646	221	65.2	55.4-75.0	120	34.8	25.0-44.6
Some Post-H.S.	404	468,254	298	69.4	59.6-79.2	106	30.6	20.8-40.4
College Graduate	553	623,373	433	77.5	72.0-83.0	120	22.5	17.0-28.0
$75,000+	407	624,892	316	73.4	65.8-81.0	91	26.6	19.0-34.2

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 36: (DO YOU THINK) SEVERE HEADACHE WITH NO KNOWN CAUSE (IS A SYMPTOM OF A STROKE?) (STRSYMP6)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2448	1,743,190	2018	82.2	78.9-85.5	430	17.8	14.5-21.1
White/Non-Hisp	1826	1,184,971	1540	85.5	82.6-88.4	286	14.5	11.6-17.4
25-34	202	341,267	157	77.8	69.6-86.0	45	22.2	14.0-30.4
35-44	310	312,848	251	80.2	73.7-86.7	59	19.8	13.3-26.3
45-54	445	319,185	381	85.6	80.5-90.7	64	14.4	09.3-19.5
55-64	527	267,173	459	89.3	85.8-92.8	68	10.7	07.2-14.2
65+	897	340,083	728	84.2	80.9-87.5	169	15.8	12.5-19.1
H.S. or G.E.D.	618	344,479	474	76.6	70.1-83.1	144	23.4	16.9-29.9
Some Post-H.S.	793	565,632	658	80.9	73.3-88.5	135	19.1	11.5-26.7
College Graduate	796	648,876	715	87.5	83.8-91.2	81	12.5	08.8-16.2
$15,000- 24,999	407	233,058	325	79.8	73.1-86.5	82	20.2	13.5-26.9
$25,000- 34,999	261	144,924	215	83.5	76.4-90.6	46	16.5	09.4-23.6
$50,000- 74,999	333	241,920	290	86.0	80.3-91.7	43	14.0	08.3-19.7
$75,000+	452	486,615	388	85.5	80.6-90.4	64	14.5	09.6-19.4

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 8: HEART ATTACK AND STROKE
TABLE 37: IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Take Them To A Hospital			Tell Them To Call Their Doctor			Call 911			Call Their Spouse Or A Family Member			Do Something Else		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5119	4,520,536	294	6.1	03.7-08.5	37	1.0	00.0-02.0	4508	88.6	86.1-91.1	38	0.4	00.2-00.6	242	4.0	03.0-05.0
Male	1937	2,230,663	133	6.4	03.9-08.9	21	1.5	00.0-03.3	1669	88.2	85.1-91.3	9	0.2	00.0-00.4	105	3.7	02.5-04.9
Female	3182	2,289,873	161	5.7	02.0-09.4	16	0.5	00.1-00.9	2839	88.9	85.0-92.8	29	0.5	00.1-00.9	137	4.3	02.9-05.7
White/Non-Hisp	3896	3,227,768	180	3.9	02.5-05.3	16	0.3	00.1-00.5	3492	91.2	89.4-93.0	27	0.4	00.2-00.6	181	4.2	03.2-05.2
Black or Afr. Am./Non-Hisp	59	110,996	1	0.1	00.0-00.3				53	93.9	87.2-0100				5	6.1	00.0-12.6
Oth. Race/Non-Hisp.	288	227,253	27	8.6	03.5-13.7	4	1.2	00.0-02.8	233	85.6	79.5-91.7	5	0.9	00.0-02.1	19	3.7	01.2-06.2
MultiRacial/Non-Hisp.	57	29,881				1	0.5	00.0-01.5							6	5.4	00.0-11.5
Hispanic	754	871,873	77	14.3	04.3-24.3	15	3.6	00.0-07.9				5	0.2	00.0-00.6	26	3.0	00.5-05.5
18-24	131	515,536				4	5.2	00.0-12.6				1	0.0	00.0-00.0	3	1.7	00.0-03.9
25-34	410	923,604	25	4.5	00.2-08.8	2	0.3	00.0-00.7	368	91.2	86.3-96.1	3	0.5	00.0-01.1	12	3.4	00.9-05.9
35-44	612	813,788	36	4.6	02.2-07.0	5	0.1	00.0-00.3	547	91.4	88.1-94.7	1	0.2	00.0-00.6	23	3.7	01.3-06.1
45-54	859	811,464	46	5.0	03.0-07.0	7	0.9	00.0-02.1	760	90.0	87.1-92.9				46	4.1	02.1-06.1
55-64	1107	615,656	58	5.1	03.1-07.1	5	0.3	00.0-00.7	980	88.9	86.0-91.8	5	0.3	00.0-00.7	59	5.4	03.2-07.6
65+	1961	812,061	112	4.4	03.2-05.6	14	0.5	00.1-00.9	1712	88.8	86.6-91.0	27	1.0	00.4-01.6	96	5.3	03.7-06.9
Less Than H.S.	481	389,226				11	1.0	00.0-02.0				6	0.6	00.0-01.6	17	3.6	00.3-06.9
H.S. or G.E.D.	1314	1,152,008	81	6.4	02.9-09.9	11	2.1	00.0-05.2	1160	87.5	82.6-92.4	13	0.4	00.0-00.8	49	3.6	01.6-05.6
Some Post-H.S.	1591	1,320,339	78	4.9	02.0-07.8	7	0.7	00.0-01.5	1417	90.2	86.9-93.5	9	0.3	00.1-00.5	80	3.9	02.3-05.5
College Graduate	1716	1,647,400	89	3.7	02.5-04.9	8	0.4	00.0-01.0	1516	91.0	89.0-93.0	9	0.4	00.0-00.8	94	4.5	03.1-05.9
Less than $15,000	555	405,726				8	0.7	00.0-01.5				3	0.3	00.0-00.9	28	3.8	01.1-06.5
$15,000- 24,999	826	583,521	58	6.4	03.3-09.5	6	0.2	00.0-00.4	718	89.3	85.6-93.0	10	0.8	00.0-01.6	34	3.2	01.6-04.8
$25,000- 34,999	541	319,949	33	5.3	02.4-08.2	6	1.4	00.0-03.0	475	86.6	80.3-92.9	4	0.2	00.0-00.4	23	6.5	00.8-12.2
$35,000- 49,999	717	633,999	41	8.3	02.4-14.2	4	3.4	00.0-09.1	638	84.7	76.9-92.5	6	0.5	00.0-01.3	28	3.2	01.0-05.4
$50,000- 74,999	724	643,421	34	2.5	01.1-03.9	2	0.1	00.0-00.3	650	93.7	91.3-96.1	7	0.7	00.1-01.3	31	3.0	01.2-04.8
$75,000+	1074	1,425,880	46	3.1	01.7-04.5	5	0.5	00.0-01.1	956	92.3	90.1-94.5	2	0.0	00.0-00.0	65	4.1	02.5-05.7

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 38: IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Take Them To A Hospital N	%	C.I. (95%)	Tell Them To Call Their Doctor N	%	C.I. (95%)	Call 911 N	%	C.I. (95%)	Call Their Spouse Or A Family Member N	%	C.I. (95%)	Do Something Else N	%	C.I. (95%)
Male	1937	2,230,663	133	6.4	03.9-08.9	21	1.5	00.0-03.3	1669	88.2	85.1-91.3	9	0.2	00.0-00.4	105	3.7	02.5-04.9
White/Non-Hisp	1513	1,616,991	91	4.9	02.4-07.4	12	0.6	00.0-01.2	1328	90.4	87.5-93.3	5	0.1	00.0-00.3	77	4.1	02.5-05.7
Oth. Race/Non-Hisp.	99	116,027	8	11.2	01.8-20.6	2	0.7	00.0-01.9				2	0.9	00.0-02.3	10	6.1	01.2-11.0
Hispanic	250	402,320	30	12.2	02.6-21.8	6	5.9	00.0-14.9				2	0.5	00.0-01.5	9	0.6	00.0-01.2
18-24	70	288,775				2	6.9	00.0-19.2							1	0.4	00.0-01.2
25-34	134	470,437	14	7.2	00.0-15.2	2	0.6	00.0-01.6	113	89.9	81.5-98.3	1	0.4	00.0-01.2	4	1.9	00.0-04.3
35-44	208	411,970	9	2.9	00.0-06.0	1	0.1	00.0-00.3	186	91.5	86.2-96.8				12	5.5	01.2-09.8
45-54	320	407,289	19	5.7	02.4-09.0	4	1.4	00.0-03.6	275	88.3	83.4-93.2				22	4.5	01.4-07.6
55-64	441	276,731	29	7.2	03.5-10.9	4	0.7	00.0-01.5	383	87.8	83.3-92.3	2	0.3	00.0-00.9	23	4.0	01.5-06.5
65+	752	360,822	53	5.0	03.0-07.0	8	0.8	00.0-01.6	642	88.1	84.8-91.4	6	0.4	00.0-00.8	43	5.7	03.0-08.4
Less Than H.S.	182	178,520	22	10.4	02.4-18.4	4	0.8	00.0-01.8				3	1.2	00.0-03.4	8	5.8	00.0-12.7
H.S. or G.E.D.	466	617,479	36	7.6	01.3-13.9	8	3.6	00.0-09.5	399	85.8	77.6-94.0	2	0.0	00.0-00.0	21	2.9	00.7-05.1
Some Post-H.S.	554	592,463	29	6.7	00.6-12.8	3	0.5	00.0-01.3	494	88.9	82.4-95.4	2	0.0	00.0-00.0	26	3.9	01.4-06.4
College Graduate	729	838,609	46	4.5	02.5-06.5	6	0.8	00.0-01.8	626	90.8	88.1-93.5	2	0.2	00.0-00.4	49	3.7	01.9-05.5
Less than $15,000	176	168,023				2	0.2	00.0-00.6							10	2.4	00.6-04.2
$15,000- 24,999	277	278,354	25	8.5	02.8-14.2	4	0.4	00.0-01.0	230	86.1	79.4-92.8	2	1.0	00.0-02.6	16	4.0	01.1-06.9
$25,000- 34,999	193	131,346	18	6.4	01.5-11.3	4	3.1	00.0-06.6	161	84.7	74.9-94.5	2	0.3	00.0-00.7	8	5.5	00.0-14.1
$35,000- 49,999	282	329,440				1	5.8	00.0-16.6				1	0.0	00.0-00.0	10	2.1	00.0-05.2
$50,000- 74,999	303	330,507	14	1.6	00.4-02.8	1	0.2	00.0-00.6	272	95.3	92.6-98.0	2	0.2	00.0-00.6	14	2.7	00.3-05.1
$75,000+	520	806,148	26	2.8	01.2-04.4	5	0.8	00.0-02.0	449	91.3	88.2-94.4				40	5.1	02.6-07.6

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

TABLE 39: IF YOU THOUGHT SOMEONE WAS HAVING A HEART ATTACK OR A STROKE, WHAT IS THE FIRST THING YOU WOULD DO? (FIRSTAID)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Take Them To A Hospital			Tell Them To Call Their Doctor			Call 911			Call Their Spouse Or A Family Member			Do Something Else		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3182	2,289,873	161	5.7	02.0-09.4	16	0.5	00.1-00.9	2839	88.9	85.0-92.8	29	0.5	00.1-00.9	137	4.3	02.9-05.7
White/Non-Hisp	2383	1,610,777	89	2.9	01.9-03.9	4	0.0	00.0-00.0	2164	92.1	90.5-93.7	22	0.7	00.3-01.1	104	4.3	02.9-05.7
Oth. Race/Non-Hisp.	189	111,226	19	5.8	02.1-09.5	2	1.6	00.0-04.7	156	90.5	85.4-95.6	3	1.0	00.0-02.8	9	1.1	00.3-01.9
Hispanic	504	469,553				9	1.7	00.0-03.9				3	0.0	00.0-00.0	17	5.0	00.5-09.5
18-24	61	226,761				2	3.0	00.0-07.9				1	0.1	00.0-00.3	2	3.3	00.0-08.4
25-34	276	453,167	11	1.8	00.0-03.6				255	92.6	87.7-97.5	2	0.6	00.0-01.8	8	5.0	00.5-09.5
35-44	404	401,818	27	6.3	02.8-09.8	4	0.2	00.0-00.4	361	91.3	87.2-95.4	1	0.3	00.0-00.9	11	1.9	00.1-03.7
45-54	539	404,175	27	4.3	02.1-06.5	3	0.4	00.0-01.2	485	91.7	88.8-94.6				24	3.6	01.6-05.6
55-64	666	338,925	29	3.3	01.3-05.3	1	0.0	00.0-00.0	597	89.8	86.1-93.5	3	0.3	00.0-00.7	36	6.5	03.2-09.8
65+	1209	451,239	59	3.9	02.3-05.5	6	0.2	00.0-00.4	1070	89.4	86.7-92.1	21	1.4	00.4-02.4	53	5.0	02.8-07.2
Less Than H.S.	299	210,706				7	1.2	00.0-02.8				3	0.1	00.0-00.3	9	1.7	00.0-03.5
H.S. or G.E.D.	848	534,529	45	5.0	02.3-07.7	3	0.4	00.0-01.0	761	89.3	84.8-93.8	11	0.9	00.1-01.7	28	4.4	00.9-07.9
Some Post-H.S.	1037	727,875	49	3.6	02.0-05.2	4	0.8	00.0-02.2	923	91.3	88.6-94.0	7	0.4	00.0-00.8	54	4.0	02.2-05.8
College Graduate	987	808,791	43	2.9	01.5-04.3	2	0.0	00.0-00.0	890	91.3	88.6-94.0	7	0.5	00.0-01.1	45	5.3	02.9-07.7
Less than $15,000	379	237,703				6	1.0	00.0-02.4				3	0.5	00.0-01.3	18	4.8	00.1-09.5
$15,000- 24,999	549	305,167	33	4.5	01.6-07.4	2	0.1	00.1-00.1	488	92.3	88.8-95.8	8	0.7	00.0-01.7	18	2.5	00.7-04.3
$25,000- 34,999	348	188,603	15	4.5	00.8-08.2	2	0.1	00.0-00.3	314	88.0	79.8-96.2	2	0.2	00.0-00.4	15	7.2	00.0-15.0
$35,000- 49,999	435	304,559	23	3.7	01.3-06.1	3	0.7	00.0-01.9	386	90.3	86.0-94.6	5	1.0	00.0-02.6	18	4.3	01.4-07.2
$50,000- 74,999	421	312,914	20	3.5	01.1-05.9	1	0.0	00.0-00.0	378	92.0	88.5-95.5	5	1.2	00.0-02.4	17	3.3	00.8-05.8
$75,000+	554	619,732	20	3.6	01.4-05.8				507	93.5	90.6-96.4	2	0.1	00.1-00.1	25	2.9	00.9-04.9

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009

MODULE 17: SHINGLES CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

* *

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 17: SHINGLES
TABLE 1: SHINGLES IS CAUSED BY THE CHICKEN POX VIRUS. IT IS AN OUTBREAK OF RASH OR BLISTERS ON THE SKIN THAT MAY BE ASSOCIATED WITH SEVERE PAIN. A VACCINE FOR SHINGLES HAS BEEN AVAILABLE SINCE MAY 2006, IT IS CALLED ZOSTAVAX®, THE ZOSTER VACCINE, OR THE SHINGLES VACCINE. HAVE YOU HAD THIS VACCINE? (SHINGLES)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
TOTAL	3552	1,922,049	296	8.4	07.0-09.8	3256	91.6	90.2-93.0
Male	1370	913,868	104	6.7	04.9-08.5	1266	93.3	91.5-95.1
Female	2182	1,008,181	192	10.1	08.1-12.1	1990	89.9	87.9-91.9
White/Non-Hisp	2950	1,616,408	269	9.2	07.6-10.8	2681	90.8	89.2-92.4
Oth. Race/Non-Hisp.	122	51,263	3	4.7	00.0-12.1	119	95.3	87.9-0100
Hispanic	354	170,652	16	3.5	01.3-05.7	338	96.5	94.3-98.7
45-54	471	468,534	4	0.3	00.0-00.7	467	99.7	99.3-0100
55-64	1096	618,856	50	5.1	03.3-06.9	1046	94.9	93.1-96.7
65+	1946	805,679	240	15.8	13.3-18.3	1706	84.2	81.7-86.7
Less Than H.S.	312	126,814	12	1.7	00.5-02.9	300	98.3	97.1-99.5
H.S. or G.E.D.	899	442,185	40	5.4	03.0-07.8	859	94.6	92.2-97.0
Some Post-H.S.	1120	552,060	89	8.1	05.7-10.5	1031	91.9	89.5-94.3
College Graduate	1207	795,106	155	11.5	09.1-13.9	1052	88.5	86.1-90.9
Less than $15,000	380	132,583	19	6.0	02.5-09.5	361	94.0	90.5-97.5
$15,000- 24,999	577	259,697	28	6.0	02.5-09.5	549	94.0	90.5-97.5
$25,000- 34,999	403	173,913	26	6.4	03.3-09.5	377	93.6	90.5-96.7
$35,000- 49,999	525	270,845	40	6.9	04.0-09.8	485	93.1	90.2-96.0
$50,000- 74,999	486	280,750	59	11.0	07.1-14.9	427	89.0	85.1-92.9
$75,000+	656	546,645	70	7.6	05.2-10.0	586	92.4	90.0-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009
MODULE 17: SHINGLES
TABLE 2: SHINGLES IS CAUSED BY THE CHICKEN POX VIRUS. IT IS AN OUTBREAK OF RASH OR BLISTERS ON THE SKIN THAT MAY BE ASSOCIATED WITH SEVERE PAIN. A VACCINE FOR SHINGLES HAS BEEN AVAILABLE SINCE MAY 2006, IT IS CALLED ZOSTAVAX®, THE ZOSTER VACCINE, OR THE SHINGLES VACCINE. HAVE YOU HAD THIS VACCINE? (SHINGLES)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	N	Yes %	C.I. (95%)	N	No %	C.I. (95%)
Male	1370	913,868	104	6.7	04.9-08.5	1266	93.3	91.5-95.1
White/Non-Hisp	1149	765,363	92	7.1	05.1-09.1	1057	92.9	90.9-94.9
Hispanic	125	82,727	5	1.9	00.0-03.9	120	98.1	96.1-0100
45-54	175	259,135	3	0.5	00.0-01.1	172	99.5	98.9-0100
55-64	437	282,997	23	5.5	02.8-08.2	414	94.5	91.8-97.2
65+	746	356,544	77	11.9	08.2-15.6	669	88.1	84.4-91.8
Less Than H.S.	130	65,855	5	2.1	00.0-04.3	125	97.9	95.7-0100
H.S. or G.E.D.	289	187,915	7	1.8	00.0-03.6	282	98.2	96.4-0100
Some Post-H.S.	402	228,213	28	6.8	03.5-10.1	374	93.2	89.9-96.5
College Graduate	544	428,939	64	9.5	06.4-12.6	480	90.5	87.4-93.6
Less than $15,000	117	48,773	9	8.4	01.1-15.7	108	91.6	84.3-98.9
$15,000- 24,999	192	103,329	6	5.8	00.0-13.1	186	94.2	86.9-0100
$25,000- 34,999	155	78,583	7	3.8	00.0-07.7	148	96.2	92.3-0100
$35,000- 49,999	207	124,981	11	5.5	01.4-09.6	196	94.5	90.4-98.6
$50,000- 74,999	217	138,483	16	3.8	01.4-06.2	201	96.2	93.8-98.6
$75,000+	349	338,154	39	7.0	04.1-09.9	310	93.0	90.1-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

March 18, 2010

TABLE 3: SHINGLES IS CAUSED BY THE CHICKEN POX VIRUS. IT IS AN OUTBREAK OF RASH OR BLISTERS ON THE SKIN THAT MAY BE ASSOCIATED WITH SEVERE PAIN. A VACCINE FOR SHINGLES HAS BEEN AVAILABLE SINCE MAY 2006, IT IS CALLED ZOSTAVAX®, THE ZOSTER VACCINE, OR THE SHINGLES VACCINE. HAVE YOU HAD THIS VACCINE? (SHINGLES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL	WEIGHTED	Yes N	%	C.I. (95%)	No N	%	C.I. (95%)
Female	2182	1,008,181	192	10.1	08.1-12.1	1990	89.9	87.9-91.9
White/Non-Hisp	1801	851,045	177	11.0	08.8-13.2	1624	89.0	86.8-91.2
Oth. Race/Non-Hisp.	80	32,912	1	6.1	00.0-17.5	79	93.9	82.5-0100
Hispanic	229	87,925	11	5.0	01.1-08.9	218	95.0	91.1-98.9
45-54	296	209,399	1	0.1	00.0-00.3	295	99.9	99.7-0100
55-64	659	335,859	27	4.8	02.3-07.3	632	95.2	92.7-97.7
65+	1200	449,135	163	19.0	15.5-22.5	1037	81.0	77.5-84.5
Less Than H.S.	182	60,959	7	1.2	00.0-02.4	175	98.8	97.6-0100
H.S. or G.E.D.	610	254,270	33	8.0	04.3-11.7	577	92.0	88.3-95.7
Some Post-H.S.	718	323,847	61	9.0	05.9-12.1	657	91.0	87.9-94.1
College Graduate	663	366,167	91	13.9	10.4-17.4	572	86.1	82.6-89.6
Less than $15,000	263	83,810	10	4.6	01.1-08.1	253	95.4	91.9-98.9
$15,000- 24,999	385	156,368	22	6.2	02.5-09.9	363	93.8	90.1-97.5
$25,000- 34,999	248	95,329	19	8.5	04.0-13.0	229	91.5	87.0-96.0
$35,000- 49,999	318	145,864	29	8.1	04.0-12.2	289	91.9	87.8-96.0
$50,000- 74,999	269	142,266	43	18.0	11.3-24.7	226	82.0	75.3-88.7
$75,000+	307	208,491	31	8.5	04.8-12.2	276	91.5	87.8-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

March 18, 2010

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARIZONA MODULE QUESTIONS DATA REPORT, 2009

End of Module Data Report

March 18, 2010